







STAR WARNING SYSTEMS®

**Warehouse Distributor
Price List**

Version: PL12-1-16B
Effective December 1, 2016

**"Proudly Designed, Manufactured,
and Assembled in the U.S.A.!"**

www.starheadlight.com
An ISO 9001-2008 Certified Company




MAILING
455 Rochester Street
Avon, NY 14414

SHIPPING
455 Rochester Street
Avon, NY 14414

PHONE
585-226-9787
585-226-9500

FAX
888-478-2797
585-226-2029


Table of Contents



Star Halo® LED Beacons	2 - 3
LED Beacons	3 - 4
Revolving LED Beacon	4
Compact LED Beacons	4
Strobe Beacons	4 - 6
Revolving Beacons	6
Halogen Dash Lights and Accessories	6
Flashing Beacons	6 - 7
LED Lights	7 - 10
Star Constellation™	10
Remote Kits and Heads (LED And Strobe)	10 - 11
LED Traffic Directors	11 - 12
Star Phantoms®	12 - 13
LED Mini-Bars	13 - 14
Strobe Mini-Bars	14
Halogen Mini-Bars	14
LED Lightbars	14 - 15
Strobe Lightbars	15 - 16
Halogen Lightbars	16 - 17
Vehicle Specific Mount Kits	17 - 18
Star Alarm® Back-Up Alarms	18 - 20
Switch Panels and Boxes	20
Starflash™ Flasher Modules	21
Accessories	21 - 22
Strobe Tubes and Bulbs	22
Guards and Mounting	22
Sirens	23
Speakers	24
Index	25 - 28
Warranty	
Back Cover	

Star Halo® LED Beacons

* = Dome colors: A, B, C, G, R



List

Model Number Description

200AH8L-*	Ultra high intensity LEDs, perm. mount, 10-30V	264.32
200AHL-*	High intensity LEDs, perm. mount, 10-30V	243.02

200BH8L-*	Ultra high intensity LEDs, perm. mount, 3/4" pipe mount, 10-30V	282.23
200BHL-*	High intensity LEDs, perm. mount, 3/4" pipe mount, 10-30V	259.58

200CH8L-*	Ultra high intensity LEDs, perm. mount, 10-30V	232.54
200CHL-*	High intensity LEDs, perm. mount, 10-30V	213.62
200CFH8L-*	Ultra high intensity LEDs, perm. mount, three hole flange base, 10-30V	243.98
200CFHL-*	High intensity LEDs, perm. mount, three hole flange base, 10-30V	221.39

200SH8L-*	Ultra high intensity LEDs, perm. mount, 1/2" pipe mount, 10-30V	221.39
200SH8LM-*	Ultra high intensity LEDs, mag. mount, 10-16V	237.28
200SHL-*	High intensity LEDs, perm. mount, 1/2" pipe mount, 10-30V	210.24
200SHLM-*	High intensity LEDs, mag. mount, 10-16V	225.79


240H8AFL-*	Ultra high intensity LEDs, dust cover, flange base, 1" pipe mount, 10-30V	221.39
240H8AL-*	Ultra high intensity LEDs, dust cover, perm. mount, 1" pipe mount, 10-30V	212.26
240H8ALM-*	Ultra high intensity LEDs, dust cover, mag. mount, 10-16V	228.15
240H8CFL-*	Ultra high intensity LEDs, tall lens, flange base, 1" pipe mount, 10-30V	212.26
240H8CGL-*	Ultra high intensity LEDs, tall lens, perm. mount, G-plate, 10-30V	221.39
240H8CL-*	Ultra high intensity LEDs, tall lens, perm. mount, 1" pipe mount, 10-30V	203.48
240H8CLM-*	Ultra high intensity LEDs, tall lens, mag. mount, 10-16V	219.02
240H8SFL-*	Ultra high intensity LEDs, short lens, flange base, 1" pipe mount, 10-30V	203.48
240H8SGL-*	Ultra high intensity LEDs, short lens, perm. mount, G-plate, 10-30V	221.39
240H8SL-*	Ultra high intensity LEDs, short lens, perm. mount, 1" pipe mount, 10-30V	194.35
240H8SLM-*	Ultra high intensity LEDs, short lens, mag. mount, 10-16V	210.24
240HCFL-*	High intensity LEDs, tall lens, flange base, 1" pipe mount, 10-30V	196.38
240HCGL-*	High intensity LEDs, tall lens, perm. mount, G-plate, 10-30V	207.87
240HCL-*	High intensity LEDs, tall lens, perm. mount, 1" pipe mount, 10-30V	187.59
240HCLM-*	High intensity LEDs, tall lens, mag. mount, 10-16V	196.38
240HSFL-*	High intensity LEDs, short lens, flange base, 1" pipe mount, 10-30V	187.59
240HSG1L-*	High intensity LEDs, short lens, perm. mount, 1" pipe mount, G-plate, 10-30V	207.87
240HSGL-*	High intensity LEDs, short lens, perm. mount, G-plate, 10-30V	207.87
240HSL-*	High intensity LEDs, short lens, perm. mount, 1" pipe mount, 10-30V	178.46
240HSLM-*	High intensity LEDs, short lens, mag. mount, 10-16V	187.59

255H8TAL-*	Ultra high intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	190.29
255H8TALV-*	Ultra high intensity LEDs, tall lens, dust cover, vacuum mag. mount, 10-16V	230.51
255H8TCL-*	Ultra high intensity LEDs, tall lens, perm. mount, 10-30V	179.82
255H8TCFL-*	Ultra high intensity LEDs, tall lens, flange mount, 10-30V	179.82
255H8TCFL-*	Ultra high intensity LEDs, tall lens, mag. mount, 10-16V	190.29
255H8TCLV-*	Ultra high intensity LEDs, tall lens, vacuum mag. mount, 10-16V	222.06
255H8TSL-*	Ultra high intensity LEDs, short lens, perm. mount, 10-30V	179.82
255H8TSFL-*	Ultra high intensity LEDs, short lens, flange mount, 10-30V	179.82
255H8TSLM-*	Ultra high intensity LEDs, short lens, mag. mount, 10-16V	190.29
255H8TSLV-*	Ultra high intensity LEDs, short lens, vacuum mag. mount, 10-16V	222.06
255HTCL-*	High intensity LEDs, tall lens, perm. mount, 10-30V	154.46
255HTCFL-*	High intensity LEDs, tall lens, flange mount, 10-30V	154.46
255HTCLM-*	High intensity LEDs, tall lens, mag. mount, 10-16V	169.00
255HTCLV-*	High intensity LEDs, tall lens, vacuum mag. mount, 10-16V	200.77
255HTSL-*	High intensity LEDs, short lens, perm. mount, 10-30V	154.46
255HTSFL-*	High intensity LEDs, short lens, flange mount, 10-30V	154.46
255HTSLM-*	High intensity LEDs, short lens, mag. mount, 10-16V	169.00
255HTSLV-*	High intensity LEDs, short lens, vacuum mag. mount, 10-16V	200.77

Star Halo® LED Beacons (Continued)

* = Dome colors: A, B, C, G, R

** = LED colors: A/B, A/G, A/R, A/W, G/R, R/W



List

Model Number Description

257H8TAL-*	Ultra high intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	207.53
257H8TALV-*	Ultra high intensity LEDs, tall lens, dust cover, vacuum mag. mount, 10-16V	263.30
257H8TCL-*	Ultra high intensity LEDs, tall lens, perm. mount, 10-30V	198.74
257H8TCLV-*	Ultra high intensity LEDs, tall lens, vacuum mag. mount, 10-16V	254.18
257H8TSL-*	Ultra high intensity LEDs, short lens, perm. mount, 10-30V	198.74
257H8TSLV-*	Ultra high intensity LEDs, short lens, vacuum mag. mount, 10-16V	254.18
257HTCL-*	High intensity LEDs, tall lens, perm. mount, 10-30V	172.72
257HTCLV-*	High intensity LEDs, tall lens, vacuum mag. mount, 10-16V	228.49
257HTSL-*	High intensity LEDs, short lens, perm. mount, 10-30V	172.72
257HTSLV-*	High intensity LEDs, short lens, vacuum mag. mount, 10-16V	228.49

251H8TAL-*	Ultra high intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	234.57
251H8TAL-BG-*	Ultra high intensity LEDs, tall lens, dust cover, branch guard, perm. mount, 10-30V	258.23
251H8TCL-*	Ultra high intensity LEDs, tall lens, perm. mount, 10-30V	223.76
251H8TCL-BG-*	Ultra high intensity LEDs, tall lens, branch guard, perm. mount, 10-30V	247.42
251H8TSL-*	Ultra high intensity LEDs, short lens, perm. mount, 10-30V	223.76
251H8TSL-BG-*	Ultra high intensity LEDs, short lens, branch guard, perm. mount, 10-30V	247.42
251HTAL-*	High intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	220.38
251HTAL-BG-*	High intensity LEDs, tall lens, dust cover, branch guard, perm. mount, 10-30V	249.11
251HTCL-*	High intensity LEDs, tall lens, perm. mount, 10-30V	214.97
251HTCL-BG-*	High intensity LEDs, tall lens, branch guard, perm. mount, 10-30V	238.29
251HTSL-*	High intensity LEDs, short lens, perm. mount, 10-30V	214.97
251HTSL-BG-*	High intensity LEDs, short lens, branch guard, perm. mount, 10-30V	238.29
BB274-251DK	Target tech adaptor Kit, includes bottom dish, case spinning, gasket, and hardware	68.61
BB274-251K	Target tech adaptor kit, includes case spinning, J bolts, rubber bottom gasket, and hardware	50.70

200ZHL-12V-*	Die cast base, perm. mount, 10-16V	135.20
200ZHLM-12V-*	Die case base, mag. mount, 10-16V	153.11
200ZHRL-*	Rotating pattern, die cast base, perm. mount, 10-30V	152.10
200ZHRLM-*	Rotating pattern, die cast base, mag. mount, 10-16V	167.99


200AHDL-**	Dual color, dust cover, clear lens, perm. mount, 10-30V	288.65
------------	---	--------

200SHDL-**	Dual color, die cast base, clear lens, perm. mount, 1/2" pipe mount, 10-30V	242.01
200SHDLM-**	Dual color, die cast base, clear lens, mag. mount, 10-16V	257.56

258HTDAL-**	Dual color, tall clear lens, dust cover, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	200.77
258HTDALV-**	Dual color, tall clear lens, dust cover, polycarbonate base, vacuum mag. mount, 10-16V	253.50
258HTDCL-**	Dual color, tall clear lens, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	196.72
258HTDCLV-**	Dual color, tall clear lens, polycarbonate base, vacuum mag. mount, 10-16V	243.02
258HTDSL-**	Dual color, short clear lens, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	196.72
258HTDSLV-**	Dual color, short clear lens, polycarbonate base, vacuum mag. mount, 10-16V	243.02

LED Beacons

* = Dome colors: A, B, C, G, R



Model Number Description

List

256TCL-*	Tall lens, three hole perm. mount, 1" pipe mount, 10-30V	74.02
256TCFL-*	Tall lens, flange mount, 10-30V	74.02
256TCLM-*	Tall lens, mag. mount, 10-16V	90.92
256TCLV-*	Tall lens, vacuum mag. mount, 10-16V	124.72
256TSL-*	Short lens, three hole perm. mount, 1" pipe mount, 10-30V	74.02
256TSFL-*	Short lens, flange mount, 10-30V	74.02
256TSLM-*	Short lens, mag. mount, 10-16V	90.92
256TSLV-*	Short lens, vacuum mag. mount, 10-16V	124.72

LED Beacons (Continued)

* = Dome colors: A, B, C, G, R



Model Number Description

List

240CFL-*	Tall lens, flange base, perm. mount, 10-30V	90.25
240SFL-*	Short lens, flange base, perm. mount, 10-30V	90.25

Compact LED Beacons

* = Dome colors: A, B, C, G, R



Model Number Description

List

200ZL-*	360° beacon, die cast base, perm. mount, 1/2" pipe mount, 10-16V	82.81
200ZL-110-*	360° beacon, die cast base, perm. mount, 1/2" pipe mount, 10-110V	99.71
200ZLM-*	360° beacon, die cast base, mag. mount, 10-16V	98.70

201ZL-*	360° beacon, perm. mount, 1/2" pipe mount, 10-16V	67.94
201ZL-110-*	360° beacon, perm. mount, 1/2" pipe mount, 10-110V	81.46
201ZLM-*	360° beacon, mag. mount, 10-16V	83.49

203MVL-*	360° beacon, flange base, perm. mount, 1/2" pipe mount, 10-16V	61.52
203MVL-110-*	360° beacon, flange base, perm. mount, 1/2" pipe mount, 10-110V	71.99
203MVLM-*	360° beacon, mag. mount, 10-16V	77.40

204MVL-*	360° beacon, flange base, perm. mount, 1/2" pipe mount, 10-16V	65.57
204MVL-110-*	360° beacon, flange base, perm. mount, 1/2" pipe mount, 10-110V	76.05

Strobe Beacons

* = Dome colors: A, B, C, G, R

Model Number Description

List

200A-12V-*	S/D/Q flash, tall lens, dust cover, perm. mount, 12-24V	186.58
200ADH-12V-*	High power, double flash, tall lens, dust cover, perm. mount, 12-24V	236.60
200AQH-12V-*	High power, quad flash, tall lens, dust cover, perm. mount, 12-24V	250.12

200B-12V-*	S/D/Q flash, tall lens, dust cover, perm. mount, 12-24V	196.38
200BDH-12V-*	High power, double flash, tall lens, dust cover, perm. mount, 12-24V	236.60
200BQH-12V-*	High power, quad flash, tall lens, dust cover, perm. mount, 12-24V	252.82

200C-12V-*	S/D/Q flash, perm. mount, 12-24V	162.58
200CF-12V-*	S/D/Q flash, flange base, perm. mount, 12-24V	157.85

200E-*	Single flash, high/low, perm. mount, or 3/4" mount, 117V	182.86
--------	--	--------

250A-12V-*	S/D/Q flash, tall lens, dust cover, die cast base, perm. mount, 12-24V	176.10
250ADH-12V-*	High power, double flash, tall lens, dust cover, die cast base, perm. mount, 12-24V	216.66
250AH-12V-*	S/D/Q, high power, tall lens, dust cover, die cast base, perm. mount, 12-24V	203.48
250AQH-12V-*	High power, quad flash, tall lens, dust cover, die cast base, perm. mount, 12-24V	224.43
250C-12V-*	S/D/Q flash, tall lens, die cast base, perm. mount, 12-24V	166.97
250CDH-12V-*	High power, double flash, tall lens, die cast base, perm. mount, 12-24V	206.86
250CH-12V-*	S/D/Q, high power, tall lens, die cast base, perm. mount, 12-24V	194.01
250CQH-12V-*	High power, quad flash, tall lens, die cast base, perm. mount, 12-24V	213.62
250S-12V-*	S/D/Q flash, short lens, die cast base, perm. mount, 12-24V	157.85
250SDH-12V-*	High power, double flash, short lens, die cast base, perm. mount, 12-24V	198.41
250SH-12V-*	S/D/Q, high power, short lens, die cast base, perm. mount, 12-24V	185.22
250SQH-*	High power, quad flash, short lens, die cast base, perm. mount, 12-24V	205.17

255HTC-*	D/Q flash, tall twist on/off lens, photocell, perm. mount, 12-24V	129.12
255HTCM-*	D/Q flash, tall twist on/off lens, photocell, mag. mount, 12V	144.33
255HTCV-*	D/Q flash, tall twist on/off lens, photocell, vacuum mag. mount, 12V	184.21

Strobe Beacons (Continued)

* = Dome colors: A, B, C, G, R

Add \$10.00 for AC voltage option (not available for all lights)



Model Number Description

List

255TC-*	S/D/Q flash, tall twist on/off lens, perm. mount, 12-48V	83.82
255TCM-*	S/D/Q flash, tall twist on/off lens, mag. mount, 12V	99.37
255TCV-*	S/D/Q flash, tall twist on/off lens, vacuum mag. mount, 12V	138.92
255TS-*	S/D/Q flash, short twist on/off lens, perm. mount, 12-48V	83.82
255TSM-*	S/D/Q flash, short twist on/off lens, mag. mount, 12V	99.37
255TSV-*	S/D/Q flash, short twist on/off lens, vacuum mag. mount, 12V	138.92
200S-12V-*	S/D/Q flash, medium profile, die cast base, perm. mount, 12-24V	134.86
200SM-12V-*	S/D/Q flash, medium profile, die cast base, mag. mount, 12V	150.75
240C-12V-*	S/D/Q flash, tall lens, die cast base, perm. mount, 1" pipe mount, 12-24V	127.09
240C-U-*	Single flash, tall lens, die cast base, perm. mount, 1" pipe mount, 12-48V	127.09
240CF-12V-*	S/D/Q flash, tall lens, die cast base flange perm. mount, 1" pipe mount, 12-24V	129.79
240CF-U-*	Single flash, tall lens, die cast base, perm. mount, 1" pipe mount, 12-48V	129.79
240CFD-U-*	Double flash, tall lens, die cast base, perm. mount, 1" pipe mount, 12-48V	129.79
240CM-12V-*	S/D/Q flash, tall lens, die cast base, mag. mount, 12V	142.64
240S-12V-*	S/D/Q flash, short lens, die cast base, perm. mount, 1" pipe mount, 12-24V	127.09
240S-U-*	Single flash, short lens, die cast base, perm. mount, 1" pipe mount, 12-48V	127.09
240SF-12V-*	S/D/Q flash, short lens, die cast base flange perm. mount, 1" pipe mount, 12-24V	129.79
240SF-U-*	Single flash, short lens, die cast base, perm. mount, 1" pipe mount, 12-48V	129.79
240SFD-U-*	Double flash, short lens, die cast base, perm. mount, 1" pipe mount, 12-48V	129.79
240SM-12V-*	S/D/Q flash, short lens, die cast base, mag. mount, 12V	142.64
242CFL-12V-*	D/Q flash, tall lens, photocell, die cast base, flange perm. mount, 1" pipe mount, 12-24V	136.55
242CL-12V-*	D/Q flash, tall lens, photocell, die cast base, perm. mount, 1" pipe mount, 12-24V	138.24
242CLM-12V-*	D/Q flash, tall lens, photocell, die cast base, mag. mount, 12V	154.13
242SFL-12V-*	D/Q flash, short lens, photocell, die cast flange perm. mount, 1" pipe mount, 12-24V	136.55
242SL-12V-*	D/Q flash, short lens, photocell, die cast base, perm. mount, 1" pipe mount, 12-24V	138.24
242SLM-12V-*	D/Q flash, short lens, photocell, die cast base, mag. mount, 12V	154.13
241S-12V-*	S/D/Q flash, perm. mount, 1" pipe mount, 12-24V	127.09
241SF-12V-*	S/D/Q flash, flange perm. mount, 1" pipe mount, 12-24V	129.79
241SM-12V-*	S/D/Q flash, mag. mount, 12V	142.64
211R-12V-*	Single flash, rubber base, perm. mount on two studs on 4 1/8" centers, 12V	86.19
211RM-12V-*	Single flash, rubber base, mag. mount, 12V	103.09
211RMQ-12V-*	Quad flash, rubber base, mag. mount, 12V	107.82
211RQ-12V-*	Quad flash, rubber base, perm. mount on two studs on 4 1/8" centers, 12V	90.25
200Z-12V-*	Single flash, die cast base, perm. mount, 1/2" pipe mount, 12V	68.95
200ZM-12V-*	Single flash, die cast base, mag. mount, 12V	86.19
200ZMQ-12V-*	Quad flash, die cast base, mag. mount, 12V	92.95
200ZQ-12V-*	Quad flash, die cast base, perm. mount, 1/2" pipe mount, 12V	76.39
201Z-12V-*	Single flash, snap on lens, perm. mount, 1/2" pipe mount, 12V	57.46
201ZM-12V-*	Single flash, snap on lens, mag. mount, 12V	68.95
201ZMQ-12V-*	Quad flash, snap on lens, mag. mount, 12V	74.36
201ZQ-12V-*	Quad flash, snap on lens, perm. mount, 1/2" pipe mount, 12V	62.19
203MV-*	Low profile, twist off/on lens, perm. mount, 10-72V	68.28
203MVM-*	Low profile, twist off/on lens, mag. mount, 10-72V	81.12
204MV-*	Low profile, twist off/on lens, perm. mount, 10-110V	73.34
200J-12V-*	Single flash, medium profile, perm. mount, 1/2" pipe mount, 12V	84.16
200JQ-12V-*	Quad flash, medium profile, perm. mount, 1/2" pipe mount, 12V	91.60
200J-1-12V-*	Single flash, outer dome, medium profile, perm. mount, 1/2" pipe mount, 12V	93.29
200JQ-1-*	Quad flash, outer dome, medium profile, perm. mount, 1/2" pipe mount, 12V	100.05

Strobe Lights (Continued)


* = Dome colors: A, B, C, G, R, M



Model Number	Description	List
200U-*	Single flash, medium profile, perm. mount, 1/2" pipe mount, 110V	153.45
200U-1-*	Single flash, outer dome, medium profile, perm. mount, 1/2" pipe mount, 110V	194.35
735PS-*	Single flash, portable strobe, 360° lens, Safety Orange plastic base, perm. mount, requires (2) 6V batteries	85.18
735PSM-*	Single flash, portable strobe, 360° lens, Safety Orange plastic base, mag. mount, requires (2) 6V batteries	106.47
845S-12V-*	Single flash, unidirectional, self contained, Amber or Red only, 12V	145.34
845SQ-12V-*	Quad flash, unidirectional, self contained, Amber or Red only, 12-24V	157.17

Revolving and Flashing Beacons

* = Dome colors: A, B, C, G, R, M



Model Number	Description	List
450A-12V-*	Standard duty, rotating, open base, perm. mount, 12V	97.01
450AH-12V-*	Halogen, high intensity, rotating, open base, perm. mount, 12V	102.08
450B-12V-*	Standard duty, rotating, enclosed base, perm. mount, 12V	99.37
450BH-12V-*	Halogen, high intensity, rotating, enclosed base, perm. mount, 12V	106.47
455BH-12V-*	Standard duty, rotating, enclosed base, perm. mount, 12V	127.08
455BHF-12V-*	Halogen, high intensity, rotating, enclosed base, perm. mount, 12V	127.08
455BHV-12V-*	Halogen, high intensity, rotating, vacuum mag. mount, 12V	152.44
20RH-12V-*	Halogen, high intensity, rotating, die cast base, perm. mount, 12V	75.37
20RHF-12V-*	Halogen, high intensity, fast rotator, die cast base, perm. mount, 12V	71.66
20RHM-12V-*	Halogen, high intensity, rotating, die cast base, mag. mount, 12V	90.58
20RI-12V-*	Incandescent, standard duty, die cast base, perm. mount, 12V	69.29
20RIF-12V-*	Incandescent flashing, standard duty, die cast base, perm. mount, 12V	69.29
20RIM-12V-*	Incandescent, standard duty, die cast base, mag. mount, 12V	85.18

Halogen Dash Lights and Accessories

* = Dome colors: A, B, C, G, R, M



Model Number	Description	List
1188H-*	Hotshot II, halogen, perm. mount, 12V	92.61
1188HM-*	Hotshot II, halogen, mag. mount, 12V	93.96
1166HM*	Teardrop, halogen, mag. mount, 12V	101.40
1166IM-*	Teardrop, incandescent, mag. mount, 12V	99.37
1169H*	Pancake, halogen, low profile, perm. mount, 12V	79.09
1169HM-*	Pancake, halogen, low profile, mag. mount, 12V	93.96
274-874	Dash bracket, suction cups	45.29
274-878	Multiple flash adaptor, mirror array for 1188H series	33.80

Flashing Beacons Very Low Profile

* = Dome colors: A, B, C, G, R



Model Number	Description	List
20ZI-12V-*	Flashing, incandescent, die cast base, perm. mount, 12V	50.36
20ZIM-12V-*	Flashing, incandescent, die cast base, mag. mount, 12V	53.40
21ZI-12V-*	Flashing, incandescent, polycarbonate base, perm. mount, 12V	39.88
21ZIM-12V-*	Flashing, incandescent, polycarbonate base, mag. mount, 12V	65.91

flashing beacons Very Low Profile (Continued)

* = Dome colors: A, B, C, G, R




Model Number Description

List

20FI-1-*	Flashing, incandescent, clear outer dome, die cast base, retaining ring, 12V	79.09
20FI-*	Flashing, incandescent, die cast base, retaining ring, perm. mount, 12V	70.98
735-FI-SB-PC-*	Portable strobe, steady burn/flashing/on/off, Safety Orange case, 6V - steady burn	81.46

LED Lights

** = LED colors: A, B, G, R, W



Model Number Description

List

DLXT-121-**	Single head, perimeter standard warning, black rectangular bezel, 10-16V	74.02
DLXT-121C**	Single head, perimeter standard warning, chrome rectangular bezel, 10-16V	77.40
DLXT-124-**	Single head, perimeter standard warning, black oval bezel, 10-16V	74.02
DLXT-124C**	Single head, perimeter standard warning, chrome oval bezel, 10-16V	77.40
DLXT-241-**	Single head, perimeter standard warning, black rectangular bezel, 24V	90.25
DLXT-241C**	Single head, perimeter standard warning, chrome rectangular bezel, 24V	94.98
DLXT-244-**	Single head, perimeter standard warning, black oval bezel, 24V	90.25
DLXT-244C**	Single head, perimeter standard warning, chrome oval bezel, 24V	94.98
DLXT-2CUST	Double head, perimeter standard warning, black rectangular bezel, 10-16V	148.04
DLXT-2CUST	Double head, perimeter standard warning, black rectangular bezel, 24V	180.49
DLXT-2CUST	Double head, perimeter standard warning, chrome rectangular bezel, 10-16V	154.80
DLXT-2CUST	Double head, perimeter standard warning, chrome rectangular bezel, 24V	189.96
DLXT-3CUST	Triple head, perimeter standard warning, black rectangular bezel, 10-16V	222.06
DLXT-3CUST	Triple head, perimeter standard warning, black rectangular bezel, 24V	270.75
DLXT-3CUST	Triple head, perimeter standard warning, chrome rectangular bezel, 10-16V	232.20
DLXT-3CUST	Triple head, perimeter standard warning, chrome rectangular bezel, 24V	284.94

DLHT-121-**	Single head, hazard turn, black rectangular bezel, 10-16V	79.09
DLHT-121CAA	Single head, hazard turn, chrome rectangular bezel, Amber, 10-16V	83.82
DLHT-124-**	Single head, hazard turn, black oval bezel, Amber, 10-16V	79.09
DLHT-124CAA	Single head, hazard turn, chrome oval bezel, 10-16V	83.82
DLHT-241-**	Single head, hazard turn, black rectangular bezel, 24V	90.25
DLHT-241CAA	Single head, hazard turn, chrome rectangular bezel, 24V	94.98
DLHT-244-**	Single head, hazard turn, black oval bezel, Amber, 24V	90.25
DLHT-244CAA	Single head, hazard turn, chrome oval bezel, Amber, 24V	94.98


DLTT-121-**	Single head, auxiliary stop/tail/turn, black rectangular bezel, 10-16V	79.09
DLTT-121CAA	Single head, auxiliary stop/tail/turn, chrome rectangular bezel, 10-16V	83.82
DLTT-124-**	Single head, auxiliary stop/tail/turn, black oval bezel, 10-16V	79.09
DLTT-124CAA	Single head, auxiliary stop/tail/turn, chrome oval bezel, 10-16V	83.82
DLTT-241-**	Single head, auxiliary stop/tail/turn, black rectangular bezel, 24V	90.25
DLTT-241CAA	Single head, auxiliary stop/tail/turn, chrome rectangular bezel, 24V	94.98
DLTT-244-**	Single head, auxiliary stop/tail/turn, black oval bezel, 24V	90.25
DLTT-244CAA	Single head, auxiliary stop/tail/turn, chrome oval bezel, 24V	94.98

DLNT-121-**	Single head, steady burn, black rectangular bezel, 10-16V	67.94
DLNT-121S-**	Single switch, black bezel, 10-16V	72.33
DLNT-121SC**	Single switch, chrome bezel, 10-16V	77.06
DLNT-122S-**	Double switch, black bezel, 10-16V	144.33
DLNT-122SC**	Double switch, chrome bezel, 10-16V	149.06

274-DLXT-1X2	DLXT mounting bracket, one row of two LED lights	20.28
274-DLXT-2X1	DLXT mounting bracket, two rows of one LED light	13.52
274-DLXT-45	DLXT mounting bracket, 45° angle	10.14
274-DLXT-RL	DLXT mounting bracket, license plate	20.28
274-DLXT-T	DLXT mounting bracket, trunk	13.52

LED lights (Continued)

* = LED colors: A, B, C, G, R



Model Number Description

List

274-DLXT-U	DLXT mounting bracket, universal	13.52
274-DLXT-W	DLXT mounting bracket, window	13.52
BB274-DLXT-LPB	DLXT mounting bracket, six (three on each side) on license plate	36.17

274-DLX4-6-1X2	Versa Star® mounting bracket, one row of two LED lights	13.52
274-DLX4-6-2X1	Versa Star® mounting bracket, two rows of one LED lights	13.52
274-DLX4-6-45	Versa Star® mounting bracket, 45° angle	13.52
274-DLX4-6-HK	Versa Star® mounting bracket, DLX4-HK and DLX6-HK headliner	13.52
274-DLX4-6-RL	Versa Star® mounting bracket, license plate	20.28
274-DLX4-6-T	Versa Star® mounting bracket, trunk	13.52
274-DLX4-6-U	Versa Star® mounting bracket, universal	10.14
274-DLX4-6-W	Versa Star® mounting bracket, window	10.14
BB274-DLX46LPM	Versa Star® mounting bracket, adjustable license plate bracket	26.36
BB274-DLX4-6-RHK	Versa Star® mounting bracket, rear window of a pickup truck, mounts to the hanger clips	20.28
BB274-DLX4-6-RSB	Ford Interceptor SUV spoiler bracket kit, fits 2012-2016 models	59.15
BB274-DLX4-6-SLP	Versa Star® mounting bracket, rear window of a pickup truck	20.28
BB274-DLX6-BAIL	Versa Star® mounting bracket, bail bracket	21.97
BB274-DLX-VC	Versa Star® mounting bracket, visor clip	32.79
BB274-FISUV-VER	Ford Interceptor SUV headlight bracket kit, mounts DLX3, DLX4, DLX6F in the headlight of 2016 Police Ford Interceptor SUV (lights not included)	20.28
BB274-FISUV-GRL	Ford Interceptor SUV front grille bracket kit, mounts DLX3, DLX4, DLX6F (lights not included)	55.79

DLX3-*	Versa Star®, three LED array, black bezel, flush or bracket mount, 10-16V	74.02
DLX3H-A	Versa Star®, high power, three LED array, black bezel, Amber only, flush or bracket mount, 10-16V	82.47
DLX4-**	Versa Star®, four LED array, black bezel, flush or bracket mount, 10-30V	88.89
DLX4C-**	Versa Star®, four LED array, chrome bezel, flush or bracket mount, 10-30V	99.37
DLX6-**	Versa Star®, six LED array, black bezel, bracket mount, 10-30V	126.75
DLX6C-**	Versa Star®, six LED array, chrome bezel, bracket mount, 10-30V	137.57
DLX6F-**	Versa Star®, six LED array, black bezel, flush mount, 10-30V	95.32
DLX6FC-**	Versa Star®, six LED array, chrome bezel, flush mount, 10-30V	105.79


DLX4-HK-**	Versa Star®, four LED array, black bezel, flashback hood, cig. plug, 10-16V	167.31
DLX4-HK-1-**	Versa Star®, four LED array, black bezel, flashback hood, hardwire, 10-30V	167.31
DLX4-HK2-**	Versa Star®, dual four LED array, black bezel, flashback hood, cig. plug, 10-16V	333.94
DLX4-HK2-1-**	Versa Star®, dual four LED array, black bezel, flashback hood, hardwire, 10-30V	333.94
DLX6-HK-**	Versa Star®, six LED array, black bezel, flashback hood, cig. plug, 10-16V	201.11
DLX6-HK-1-**	Versa Star®, six LED array, black bezel, flashback hood, hardwire, 10-30V	201.11
DLX6-HK2-**	Versa Star®, dual six LED array, black bezel, flashback hood, cig. plug, 10-16V	401.88
DLX6-HK2-1-**	Versa Star®, dual six LED array, black bezel, flashback hood, hardwire, 10-30V	401.88

BBK6VER-1-FISUV	Ford Interceptor SUV spoiler bracket kit with six BKDLX6F-** heads	845.00
BBK6VER-1-TA	Chevy Tahoe SUV spoiler bracket kit with six BKDLX6F-** heads	845.00

DLHTHR-1-*	4" round, bezel, hazard turn, 10-30V	127.76
DLHTHR-4-*	4" round, grommet, hazard turn, 10-30V	127.76
DLNTHR-1-*	4" round, bezel, steady burn, 10-30V	84.50
DLNTHR-4-*	4" round, grommet, steady burn, 10-30V	84.50
DLNTHR-5CW	4" round, chrome ring, steady burn, 10-30V, white LED, clear lens	84.50
DLXTHR-1-*	4" round, bezel, flashing, 10-30V	95.32
DLXTHR-2-*	4" round, connector, flashing, 10-30V	105.79
DLXTHR-3-*	4" round, tractor housing, flashing, 10-30V	105.79
DLXTHR-3K-**	4" round kit, tractor housing, flashing, 10-30V	211.58
DLXTHR-4-*	4" round, grommet, flashing, 10-30V	84.50
DLXTHR-5CA	4" round, chrome ring, flashing, 10-30V, warm white LED, amber lens	95.32
DLXTHR-7-*	4" round, window bezel, flashing, 10-30V	84.50
DLXTHR-8-*	4" round, grommet and connector, flashing, 10-30V	127.76

LED Lights (Continued)

* = LED colors: A, B, C, G, R



Model Number Description

DLHTHU-1-*	6" oval, bezel, hazard turn, 10-30V	127.76
DLHTHU-4-*	6" oval, grommet, hazard turn, 10-30V	127.76
DLNTHU-1-*	6" oval, bezel, steady burn, 10-30V	84.50
DLXTHU-1-*	6" oval, bezel, flashing, 10-30V	95.32
DLXTHU-2-*	6" oval, connector, flashing, 10-30V	105.79
DLXTHU-4-*	6" oval, grommet, flashing, 10-30V	84.50
DLXTHU-7-*	6" oval, window bezel, flashing, 10-30V	84.50
DLXTHU-8-*	6" oval, grommet and connector, flashing, 10-30V	127.76
DLXTHU-9-*	6" oval, ambulance insert, flashing, 10-30V	127.76

LDH-361-S-*	Par 36, steady burn, sealed beam, spot optics, 10-30V	135.54
LDH-361-T-*	Par 36, steady burn, sealed beam, trapezoidal optics, 10-30V	135.54
LDH-362-E-*	Par 36, steady burn, swivel mount, wide spread optics, 10-30V	169.34
LDH-362-S-*	Par 36, steady burn, swivel mount, spot optics, 10-30V	169.34
LDH-362-T-*	Par 36, steady burn, swivel mount, trapezoidal optics, 10-30V	169.34
LDH-363M-S-*	Par 36, steady burn, rubber tractor housing, spot optics, mag. mount, 10-16V	183.53
LDH-363M-T-*	Par 36, steady burn, rubber tractor housing, trapezoidal optics, mag. mount, 10-16V	183.53
LDH-363-E-*	Par 36, steady burn, rubber tractor housing, wide spread optics, 10-30V	176.10
LDH-363-S-*	Par 36, steady burn, rubber tractor housing, spot optics, 10-30V	176.10
LDH-363-T-*	Par 36, steady burn, rubber tractor housing, trapezoidal optics, 10-30V	176.10
LDH-364-E-*	Par 36, steady burn, rubber grommet mount, wide spread optics, 10-30V	171.70
LDH-364-S-*	Par 36, steady burn, rubber grommet mount, spot optics, 10-30V	169.34
LDH-364-T-*	Par 36, steady burn, rubber grommet mount, trapezoidal optics, 10-30V	169.34
LDHF362-E-*	Par 36, flashing, swivel mount, wide spread optics, 10-30V	180.49
LDHF362-T-*	Par 36, flashing, swivel mount, trapezoidal optics, 10-30V	180.49
LDHF362-S-*	Par 36, flashing, swivel mount, spot optics, 10-30V	180.49
LDHF363-E-*	Par 36, flashing, rubber tractor mount, wide spread optics, 10-30V	191.98
LDHF363-T-*	Par 36, flashing, rubber tractor mount, trapezoidal optics, 10-30V	191.98
LDHF364-E-*	Par 36, flashing, rubber grommet mount, wide spread optics, 10-30V	184.89
LDHF364-T-*	Par 36, flashing, rubber grommet mount, trapezoidal optics, 10-30V	184.89
LDHT362-T-*	Par 36, hazard turn, swivel mount, spot optics, 10-30V	234.57
LDHT363-T-*	Par 36, hazard turn, rubber tractor housing, spot optics, 10-30V	234.57
LDHT364-T-*	Par 36, hazard turn, rubber grommet mount, spot optics, 10-30V	234.57

DL15-12-**	11" LED dash light, suction cup mount, cig. plug, 10-16V	448.86
DL15-12W-**	11" LED deck light, weatherproof, 12' cable, perm. mount, 10-16V	448.86
DL15-6-*	6" LED dash light, suction cup mount, cig. plug, 10-16V	257.89
DL15-6GMB-*	6" LED dash light kit, grille mount, 12' cable, 10-16V	263.98
DL15-6MMB-*	6" LED dash light kit, mirror mount, cig. plug, 10-16V	263.98
DL15-6W-*	6" LED deck light, weatherproof, 12' cable, perm. mount, 10-16V	257.89
DL15-6W-1K-**	6" LED deck light kit, weatherproof, 12' cable, perm. mount, 10-16V	598.26

ULB9S-**	Starburst flashing, cig. plug, 10-16V	223.76
ULB9S-1-**	Starburst flashing, 12' cable, sync. capability, 10-16V	223.76
FLKULLB9S-**	Starburst flashing, dual head, with cig. plug, 10-16V	442.10
RLKULLB9S-1-**	Starburst flashing light kit, dual head, rear mounting, 12' cable, sync. capability, 10-16V	442.10

ULB9E-**	Eight mid power LEDs, cig. plug, 10-16V	126.75
ULB9E-1-**	Eight mid power LEDs, 12' cable, 10-16V	126.75
RLKULLB9E-1-**	Flashing light kit, dual head, rear mounting, 12' cable, sync. capability, 10-16V	248.09

ULB9LDC-**	Dual color, Lineum X™, cig. plug, 10-16V	243.02
ULB9LDC-1-**	Dual color, Lineum X™, 12' cable, 10-16V	243.02

DLS306-*	Mini-Comet™, spherical, black bezel, 10-30V	116.27
DLS306C-*	Mini-Comet™, spherical, chrome bezel, 10-30V	126.75

LED Lights (Continued)

* = LED colors: A, B, C, G, R




Model Number Description

List

DLITE-**	MicroStar™, wide spread, black bezel, flush mount, 10-30V	99.37
DLITS-**	MicroStar™, spot, black bezel, flush mount 10-30V	99.37
DLITE-9-**	Two MicroStar™ lights in ambulance insert, wide spread, black bezel, flush mount, 10-30V,	198.74
274-DLIT-RL	MicroStar™, licence plate bracket kit	30.42
274-DLIT-U	MicroStar™, universal bracket kit	16.90
VL22-**	LED visor light, Auto-Tilt™, 10-16V only available in blue, and red/blue	232.54

Star Constellation™

* = LED colors: A, B, C, G, R




Model Number Description

List

BK200ZHRL-*	Star Constellation™, Halo® rotating beacon, die cast base, 18" cable and connector, 10-30V	160.55
BK200ZHRLP-*	Star Constellation™, Halo® rotating beacon, die cast base, 3/4" pipe mount, 18" cable and connector, 10-30V	160.55
BK255H8TCL-*	Star Constellation™, Halo® beacon, tall lens, 18" cable and connector, 10-30V	188.26
BK255H8TSL-*	Star Constellation™, Halo® beacon, short lens, 18" cable and connector, 10-30V	188.26
BK9016LED-*	Star Constellation™, Mini-bar, 30" cable and connector, 10-30V	527.61
BK9100LED-*	Star Constellation™, Contour™, mini-bar, 30" cable and connector, 10-30V	323.46
BKDLITE-**	Star Constellation™, MicroStar™, wide spread, 6" cable and connector, 10-30V	107.82
BKDLITS-**	Star Constellation™, MicroStar™, spot, 6" cable and connector, 10-30V	107.82
BKDLS306-*	Star Constellation™, Mini-Comet™, omni-directional, black bezel, 10-30V	133.17
BKDLX3-*	Star Constellation™, three LED array, black bezel, 6" cable and connector, 10-16V	88.22
BKDLX4-**	Star Constellation™, four LED array, black bezel, 6" cable and connector, 10-30V	97.34
BKDLX6F-**	Star Constellation™, six LED array, black bezel, 6" cable and connector, 10-30V	103.76
BKDLXT-121-**	Star Constellation™, thinline, perimeter, 6" cable and connector, black rectangular bezel, 10-30V	101.06
BKDLXTHR-*	Star Constellation™, 4" round, 6" cable and connector, 10-30V	122.69
BKDLXTHU-*	Star Constellation™, 6" oval, 6" cable and connector, 10-30V	122.69
BKLD418-2	Star Constellation™, 6 outlet junction box controller	53.07
BKLDHF311-A-10	Star Constellation™, spherical in-line, 18" head side cable, 10' cable and connector, 12-24V	160.55
BKSWH-346-5	Star Constellation™, 5' cable and connector, 105°C	32.79
BKSWH-346-10	Star Constellation™, 10' cable and connector, 105°C	38.19
BKSWH-346-18	Star Constellation™, 18' cable and connectors, 105°C	54.42
BKSWH-346-19	Star Constellation™, 19' cable and connectors, 105°C	57.79
BKSWH-346-23	Star Constellation™, 23' cable and connectors, 105°C	63.21
BKSWH-346-24	Star Constellation™, 24' cable and connectors, 105°C	66.92
BKSWH-357-18	Star Constellation™, 18' cable and connector, 125°C	47.32
BKSWH-357-23	Star Constellation™, 23' cable and connector, 125°C	52.05
BKSWH-361-10	Star Constellation™, 10' cable and connector, 125°C	40.56
BKSWH-361-14	Star Constellation™, 14' cable and connector, 125°C	47.32
BKSWH-361-16	Star Constellation™, 16' cable and connector, 125°C	55.43
BKSWH-361-18	Star Constellation™, 18' cable and connector, 125°C	60.84
BKSWH-361-21	Star Constellation™, 21' cable and connector, 125°C	70.30

Remote Flashing LED Kits

* = LED colors: A, B, C, G, R




Model Number Description

List

LDHF301-*10	Hide-a-Star, In-line, directional head, undercover flashing kit, 10' cable, 1" hole mount, 12-24V	152.10
LDHF301-*30	Hide-a-Star, In-line, directional head, undercover flashing kit, 30' cable, 1" hole mount, 12-24V	169.34
LDHF311-*10	Hide-a-Star, In-line, spherical head, undercover flashing kit, 10' cable, 1" hole mount, 12-24V	152.10
LDHF311-*30	Hide-a-Star, In-line, spherical head, undercover flashing kit, 30' cable, 1" hole mount, 12-24V	169.34

LDK302-**	Hide-a-Star, In-line, two directional head kit, undercover flashing kit, 12-24V	316.03
LDK304-**	Hide-a-Star, In-line, two directional head kit, undercover flashing kit, 12-24V	620.57
LDK312-**	Hide-a-Star, In-line, two spherical head kit, undercover flashing kit, 12-24V	316.03
LDK314-**	Hide-a-Star, In-line, two spherical head kit, undercover flashing kit, 12-24V	620.57

Remote Kits and Packs



Model Number Description

List

RSK242P	Two head strobe kit, two phantom strobe tubes, cables, switch	309.95
RSK244P	Four head strobe kit, four phantom strobe tubes, cables, switch	427.57
RSK310P	Two head strobe kit, quad flash, two phantom strobe tubes, cables, switch	279.86
RSK966P	Six head strobe, six phantom strobe heads, cables, switch, 60 watt	520.52
RSK996P	Six head strobe, six phantom strobe heads, cables, switch, 90 watt	533.36

RP242	Two head strobe power supply, selectable flash patterns, 40 watt	184.21
RP244	Four head strobe power supply, selectable flash patterns, diagnostics, 75 watt	230.52
RP310	Two head D/Q flash strobe power supply, 24 watt	159.54
RP966	Six head selectable flash patterns, remote strobe power supply, 60 watt	283.24
RP996	Six head selectable flash patterns, remote strobe power supply, 90 watt	299.13

Remote Heads

* = Colors: A, B, C, G, R




Model Number Description

List

SH3904-*	4" round strobe head	59.15
SH3920-*	Oval strobe head	59.15
SH3922-*	Aerodynamic, surface mount strobe head	70.64
SH3930-*	Par 36 round strobe head	85.18
SH3930E-*	Par 36 round strobe head, extended lens	92.27
SH3940-*	360° dummy strobe head, standard 180" cable	135.20
SH3970-*	7" round strobe head, weatherproof connector	70.64
SH4500-*	Mini rectangular strobe head	73.68
SH4501-*	Rectangular strobe head	85.18
SH4601-*	360°, 4" dummy strobe head, standard 180" cable	88.22
SH4602-*	360°, 6" dummy strobe head, standard 180" cable	93.96
ST413P	Colored phantom strobe tube (A, B, R)	43.26
ST415P*	Clear phantom flash tube, mount bracket	43.26

LED Traffic Directors

LED color: A




Model Number Description

List

TDLIN-36-15	36", Lineum X™ Traffic Director, 15' of cable, 12V	562.43
TDLIN-36-30	36", Lineum X™ Traffic Director, 30' of cable, 12V	612.46
TDLIN-47-15	47", Lineum X™ Traffic Director, 15' of cable, 12V	581.02
TDLIN-47-30	47", Lineum X™ Traffic Director, 30' of cable, 12V	631.38
TDLIN-47-45	47", Lineum X™ Traffic Director, 45' of cable, 12V	706.76
TDLIN-47-60	47", Lineum X™ Traffic Director, 60' of cable, 12V	753.06
TDLIN24-47-30	47", Lineum X™ Traffic Director, 30' of cable, 24V	980.20
TD93-36-15	36", eight light Traffic Director, 15' cable and control unit, 12V	562.43
TD93-36-30	36" eight light Traffic Director, 30' cable and control unit, 12V	612.46
TD93-47-15	47" eight light Traffic Director, 15' cable and control unit, 12V	581.02
TD93-47-30	47" eight light Traffic Director, 30' cable and control unit, 12V	631.38
TD93-47-45	47" eight light Traffic Director, 45' cable and control unit, 12V	706.76
TD93-47-60	47" eight light Traffic Director, 60' cable and control unit, 12V	753.06
TD93DLXT-47-15	48" length, 15' of cable, 10-16V	846.01
TD93DLXT-47-30	48" length, 30' of cable, 10-16V	896.04
TD93DLXT-47-45	48" length, 45' of cable, 10-16V	946.06
TD93DLXT-47-60	48" length, 60' of cable, 10-16V	996.42
TD93DLXTARO2-48	48" length, eight LED heads, four on each side, 15' of cable, 10-16V	1,466.24
TD93DLXTARO2-60	60" length, eight LED heads, four on each side, 15' of cable, 10-16V	1,601.44
TD93DLXTARO2-72	72" length, eight LED heads, four on each side, 15' of cable, 10-16V	1,736.64
TD93DLXTARO2-84	84" length, eight LED heads, four on each side, 15' of cable, 10-16V	1,872.18
TD93DLXTARO2-96	96" length, eight LED heads, four on each side, 15' of cable, 10-16V	2,007.38

LED traffic Directors (Continued)

* = LED colors: A, B, C, G, R



Model Number Description

List

TD93DLXTARO2-S	Split Traffic Director, arrows with eight LED heads, 15' of cable, 10-16V	1,747.80
TD93DLXTARO-48	48" length, four LED heads, 15' of cable, 10-16V	1,184.35
TD93DLXTARO-60	60" length, four LED heads, 15' of cable, 10-16V	1,319.55
TD93DLXTARO-72	72" length, four LED heads, 15' of cable, 10-16V	1,455.09
TD93DLXTARO-84	84" length, four LED heads, 15' of cable, 10-16V	1,590.29
TD93DLXTARO-96	96" length, four LED heads, 15' of cable, 10-16V	1,725.49
TD93DLXTARO-S	Split Traffic Director, arrows with four LED heads, 15' of cable, 10-16V	1,353.35

SWH-271-ARO-15	15' cable	79.43
SWH-271-ARO-22	22' cable	84.50
SWH-271-ARO-30	30' cable	138.24
SWH-271-ARO-45	45' cable	197.05
SWH-271-ARO-60	60' cable	256.54

TDDL15-36	36", Starburst optics, standard 15' cable, 10-16V	823.71
TDDL15-42	42", Starburst optics, standard 15' cable, 10-16V	841.96
TDDL15-42TA	42", Starburst optics for Chevy Tahoe, standard 22' cable	841.96
TDDL15-47	48", Starburst optics, standard 15' cable, 10-16V	841.96
TDDL15-47CV	48", Starburst optics for Ford Crown Victoria, standard 15' cable, 10-16V	841.96

DL15-30W-*	28", combination warning and Traffic Director, 10-16V	845.00
DL15-30W-ARB	28", combination warning and Traffic Director (Amber, Red, Blue), 10-16V	845.00

TCS-1	Stop/Slow traffic control sign	223.42
TCS-1REF	Stop/Slow traffic control sign, M.U.T.C.D. reflective tape	270.74
TCS-2	Stop/Stop traffic control sign	223.42
TCS-2REF	Stop/Stop traffic control sign, M.U.T.C.D. reflective tape	270.74
TCS-6	6' extension pole for TCS-1 and TCS-2	90.25

ULB42-TD-**	Interior mount Star Phantom®, Traffic Director, 10-16V	1,015.01
ULB42-TD-1-**	Interior mount Star Phantom®, Traffic Director, stick only, 10-16V	789.56
ULB44-TD-**	Starburst, interior mount Star Phantom®, Traffic Director, 10-16V	1,116.41
ULB44-TD-1-**	Starburst, interior mount Star Phantom®, Traffic Director, stick only, 10-16V	891.64

ULB48-TD-**	Lineum X™ Phantom®, Traffic Director, dual color, 10-16V	1,127.57
-------------	--	----------

TDC-3	Traffic director controller eight output	135.20
TD77-2	Traffic director control box	225.44

Star Phantom® LED Lightbars

* = LED colors: A, B, C, G, R



Model Number Description

List

ULB42-**	Interior undercover, front windshield mount, cig. plug, 10-16V	789.57
ULB42-1-**	Interior undercover, rear mount, cig. plug, 10-16V	789.57
ULB42-DLP-**	Interior undercover, directional LED pursuit, hardwire, 10-16V	846.01

ULB10-**	Half Phantom™, interior, vehicle specific mounting bracket kit, cig. plug, 10-16V	383.63
ULB21-**	Split Phantom™, interior undercover, vehicles with overhead consoles, cig. plug, 10-16V	721.63

ULB44-**	Starburst Phantom™, interior, front windshield mount, cig. plug, 10-16V	890.97
ULB44-1-**	Starburst Phantom™, interior, front windshield mount, hardwire, 10-16V	890.97
ULB44-2-**	Starburst Phantom™, interior, Impala front windshield mount, cig. plug, 10-16V	890.97
ULB44-3-**	Starburst Phantom™, interior, Impala rear mount, cig. plug, 10-16V	890.97
ULB44-DLP-**	Starburst Phantom™, interior, directional LED takedown, hardwire, 10-16V	947.41

Star Phantom® LED Lightbars (Continued)

* = LED colors: A, B, C, G, R



Model Number Description

List

ULB14-**	Starburst Half Phantom™, interior undercover, vehicle specific mounting bracket kit, cig. plug, 10-16V	417.77
ULB24-**	Starburst Split Phantom™, interior undercover, vehicles with overhead consoles, cig. plug, 10-16V	834.86
ULB24-CA-**	Starburst Split Phantom™, interior undercover, vehicles with overhead consoles, cig. plug, CA Title 13, 10-16V	834.86
ULB24-DLP-**	Starburst Split Phantom™, interior undercover, vehicles with overhead consoles, directional LED, hardwire, 10-16V	890.97

ULB18-**	Lineum X™, Half Phantom™, dual color, 10-16V	631.72
ULB28-**	Lineum X™, Split Phantom™, dual color, 10-16V	1,073.49
ULB28-CH	Dodge Charger Lineum X™, Split Phantom™, dual color, 10-16V	1,073.49
ULB28-FIS-**	Ford Interceptor Sedan Lineum X™, Split Phantom™, dual color, 10-16V	1,073.49
ULB28-FISUV-**	Ford Interceptor SUV Lineum X™, Split Phantom™, dual color, 10-16V	1,073.49

ULB34-1-FISUV	Rear window light, six Starburst heads, 30" long, for Ford Interceptor SUV, 10-16V	388.70
ULB34-1-TA	Rear window light, six Starburst heads, 30" long, for Tahoe/Suburban, 10-16V	388.70
ULB38-TD-FISUV	Rear window light, six Lineum Dual Color heads, 30" long, for Ford Interceptor SUV, 10-16V	633.75
ULB38-TD-TA	Rear window light, six Lineum Dual Color heads, 30" long, for Tahoe/Suburban, 10-16V	633.75

Star Phantom® LED Lightbar Mount Kits



Vehicle Specific Mounting Kits for Half Phantoms™ (with ULB10, ULB14, and ULB18 - included in price)

Model Number Description

List

274-ULB10-CH	2006-2010 Dodge Charger, 2005-2008 Dodge Magnum	34.14
274-ULB10-CH11	2011-2016 Dodge Charger	34.14
274-ULB10-CP	2011-2016 Chevrolet Caprice	34.14
274-ULB10-CV	2006-2011 Ford Crown Victoria	34.14
274-ULB10-DU	2010-2016 Dodge Durango	34.14
274-ULB10-EX	2012-2016 Interceptor SUV, 2004-2014 Ford F150, 2006-2016 Ford Explorer, 2007-2013 Ford Expedition	34.14
274-ULB10-FI	2015-2016 Ford F150	34.14
274-ULB10-IM	2006-2013 Chevrolet Impala	34.14
274-ULB10-INT	2012-2016 Ford Interceptor Sedan	34.14
274-ULB10-RM	2009-2016 Dodge Ram	34.14
274-ULB10-TA	2007-2016 Chevrolet Tahoe, 2007-2016 Chevrolet Suburban, 2007-2016 Chevrolet Yukon	34.14
274-ULB10-U1	Universal mounting	34.14

Vehicle Specific Mounting Kits for Split Phantoms™ (with ULB21, ULB24, and ULB28 - included in price)

274-ULB21-CH	2006-2010 Dodge Charger, 2005-2008 Dodge Magnum	67.94
274-ULB21-CH11	2011-2016 Dodge Charger	67.94
274-ULB21-CP	2011-2016 Chevrolet Caprice	67.94
274-ULB21-CV	2006-2011 Ford Crown Victoria	67.94
274-ULB21-DU	2010-2016 Dodge Durango	67.94
274-ULB21-EX	2012-2016 Interceptor SUV, 2004-2014 Ford F150, 2006-2016 Ford Explorer, 2007-2013 Ford Expedition	67.94
274-ULB21-FI	2015-2016 Ford F150	67.94
274-ULB21-IM	2006-2013 Chevrolet Impala	67.94
274-ULB21-INT	2012-2016 Ford Interceptor Sedan	67.94
274-ULB21-RM	2009-2016 Dodge Ram	67.94
274-ULB21-TA	2007-2016 Chevrolet Tahoe, 2007-2016 Chevrolet Suburban, 2007-2016 Chevrolet Yukon	67.94
274-ULB21-U1	Universal mounting	67.94

LED mini-bars

* = Dome colors: A, B, C, G, R

LED colors: A, B, C, G, R



Model Number Description


List

9016LED-*	16" Starbeam™, M-Tech Plus®, 360° warning light, perm. mount, 10-30V	519.17
9016LEDM-*	16" Starbeam™, M-Tech Plus®, 360° warning light, mag. mount, 10-16V	552.97
9016LEDV-*	16" Starbeam™, M-Tech Plus®, 360° warning light, vacuum mag. mount, 10-16V	618.54

LED mini-bars (Continued)

* = Dome colors: A, B, C, G, R

LED colors: A, B, C, G, R



Model Number Description

List

9018DLED-*	16" Omega™, Lineum™, dual color, warning light, perm. mount, 10-16V	1,154.61
	upcharge per head when upgrading from 12 to 18 LEDs	15.55
9018LED-*	16" Omega™, Lineum™, dual color, warning light, perm. mount, 10-16V	846.35
	upcharge per head when upgrading from 6 to 9 LEDs	10.82
9018TBLED-*	16" Omega™, Lineum™, split color - top/bottom, perm. mount, 10-16V	884.21
	upcharge per head when upgrading from 6 to 9 LEDs	10.82

7100DLED-*	Mini-Laser®, Lineum™, dual color, perm. mount, 10-16V	1,353.35
7100LED-*	Mini-Laser®, Lineum™, single color, perm. mount, 10-16V	1046.44
7100LED-TB-*	Mini-Laser®, Lineum™, split color - top/bottom, perm. mount, 10-16V	1,082.61


9100LED-*	Star Contour™, M-Tech Plus®, perm. mount, 10-30V	317.04
9100LEDM-*	Star Contour™, M-Tech Plus®, mag. mount, 10-16V	327.52
9100LEDV-*	Star Contour™, M-Tech Plus®, vacuum mag. mount, 10-16V	352.87
9100LED-T13-A	Star Contour™, M-Tech Plus®, California Title 13, permanent mount, (Amber only), 9-32V	338.00
9100LEDV-T13-A	Star Contour™, M-Tech Plus®, California Title 13, vacuum magnet mount, (Amber only), 9-32V	374.16

9200H8L-*	Dual ultra high intensity LEDs, perm. mount, 10-30V	295.75
9200H8LM-*	Dual ultra high intensity LEDs, mag. mount, 10-16V	317.04
9200H8LV-*	Dual ultra high intensity LEDs, vacuum mag. mount, 10-16V	359.29
9200HL-*	Dual high intensity LEDs, perm. mount, 10-30V	274.79
9200HLM-*	Dual high intensity LEDs, mag. mount, 10-16V	295.75
9200HLV-*	Dual high intensity LEDs, vacuum mag. mount, 10-16V	338.00

9202L-*	C2 LED Minibar, perm. mount, 10-30V	189.95
9202LM-*	C2 LED Minibar, mag. mount, 10-16V	219.02
9202LV-*	C2 LED Minibar, vacuum mag. mount, 10-16V	303.18

Strobe Mini-bars

* = Dome colors: A, B, C, G, R




Model Number Description

List

9200S-*	D/Q flash, (2) 360° strobe heads, (2) V-mirrors, perm. mount, 12-24V	250.80
9200S-BOY	D/Q flash, (2) 360° strobe heads, (2) V-mirrors, perm. mount, 12-24V, amber/clear inner domes, clear outer dome	250.80
9200SM-*	D/Q flash, (2) 360° strobe heads, (2) V-mirrors, cig. plug, mag. mount, 12V	279.86
9200SM-BOY	D/Q flash, (2) 360° strobe heads, (2) V-mirrors, cig. plug, mag. mount, 12V, amber/clear inner domes, clear outer dome	279.86
9200SV-*	D/Q flash, (2) 360° strobe heads, (2) V-mirrors, cig. plug, vacuum mag. mount, 12V	364.03
9200SV-BOY	D/Q flash, (2) 360° strobe heads, (2) V-mirrors, cig. plug, vacuum mag. mount, 12V, amber/clear inner domes, clear outer dome	364.03

Halogen Mini-bars

* = Dome colors: A, B, C, G, R



Model Number Description

List

9200H-*	(2) halogen rotators, (2) V-mirrors, perm. mount, 12V	140.95
9200HM-*	(2) halogen rotators, (2) V-mirrors, mag. mount, cig. plug, 12V	166.30
9200HV-*	(2) halogen rotators, (2) V-mirrors, vacuum mag. mount, cig. plug, 12V	253.84

LED Lightbars


Model Number Description

List

1400LED-AA	44", Amber single color Phazer lightbar, long single (6) LED heads, short single (3) LED heads, Clear domes	1,687.97
1421LED-RB	44", Red/Blue single color Phazer lightbar with starburst alleys, starburst takedown pursuits, traffic director, long single (6) LED heads, short single (3) LED heads, Clear domes	1,856.97
1423LED-RB	44", Red/Blue Phazer lightbar with Traffic Director, dual-color alleys, takedown pursuits, intersection clearing lights, long single (6) LED heads, short single (3) LED head, Clear domes	2,218.29
1421DLED-RBCA	44", Red/Blue dual-color Phazer lightbar with scene lighting, alleys, Traffic Director, long single (6) LED heads, long dual color (12) LED heads, short dual color (6) LED heads, Clear domes	2,429.54

LED Lightbars (Continued)

* = LED colors: A, B, C, G, R



List

Model Number Description

1521LED-RB	51", Red/Blue single color Phazer lightbar with starburst alleys, starburst takedown pursuits, traffic director, long single (6) LED heads, short single (3) LED heads, Clear domes	2,271.02
1523LED-RB	51", Red/Blue lightbar with traffic director, dual color alleys, takedown pursuits, intersection clearing lights, long single (6) LED heads, long dual-color 12 LED heads, short single (3) LED heads, short dual-color (6) LED heads	2,376.82
1521DLED-RBCA	51" Red/Blue dual-color Phazer lightbar with scene lighting, alleys, traffic director, long single (6) LED heads, long dual color 12 LED heads, short dual color (6) LED heads, Clear domes	2,535.00
1510LED-AA	51" Amber Phazer tow lightbar with Starburst worklights, Starburst stop/tail/turn lights, long single (6) LED heads, short single (3) LED heads, Clear domes	2,059.77
LBC-CAN	Lightbar control can module	338.00

7232LED-*	22" Laser®, (1) M-Tech Plus® head	675.32
7460LED-*	46" Laser®, (2) M-Tech Plus® heads with scene lighting	1,795.79
7461LED-*	46" Laser®, Police Package, (2) M-Tech Plus® heads with scene lighting, (2) LED alleys, (2) front DLX6 takedown/pursuits	2,007.04
7462LED-*	46" Laser®, Police Package, (2) M-Tech Plus® heads, (2) LED alleys, (2) LED takedown/pursuits	2,059.43
7464LED-*	46" Laser®, M-Tech Plus® heads, (2) V-mirrors	1,742.73
7564LED-TOW-*	52" Laser®, M-Tech Plus® heads, (2) stop/tail/turn lights, (2) worklights	1,953.98
7565LED-TOW-*	52" Laser®, (2) M-Tech Plus® heads with scene lighting, (2) stop/tail/turn lights, (2) worklights	2,110.47

2360LED-*	36" Razor®, (2) M-Tech Plus® heads with scene lighting	1,214.77
2460LED-*	46" Razor®, (2) M-Tech Plus® heads with scene lighting, (2) V-mirrors	1,267.50
2461LED-*	46" Razor®, (2) M-Tech Plus® heads with scene lighting, (2) front DLX6 LED takedown/pursuits, (2) LED alleys	1,584.54
2565LED-TOW-*	56" Razor®, (2) M-Tech Plus® heads with rear scene lighting, (2) LED worklights, (2) Red Batwing stop/tail/turn light	1,901.25
2364LED-*	36" Razor®, (2) M-Tech Plus® heads	1,108.98
2462LED-*	46" Razor®, (2) M-Tech Plus® heads, (2) Halogen takedown/pursuits, (2) LED alleys	1,478.75
2463LED-*	46" Razor®, (2) M-Tech Plus® heads, (2) V-mirrors, (2) Starburst LED takedown/pursuits	1,162.04
2464LED-*	46" Razor®, (2) M-Tech Plus® heads, (2) V-mirrors	1,108.98
2464LED-TOW-*	46" Razor®, (2) worklights, (2) Red Batwing stop/tail/turn LED lights, Clear domes	1,436.50


5364LED-*	36" Sabre®, (2) M-Tech Plus® heads	1,056.25
5462LED-*	46" Sabre®, (2) M-Tech Plus® heads, (4) takedown/pursuits, (2) alleys, LED intersection clearing, (2) V-mirrors	1,531.48
5464LED-*	46" Sabre®, (2) M-Tech Plus® heads, (2) V-mirrors	1,124.19
5564LED-*	56" Sabre®, (2) M-Tech Plus® heads, (2) V-mirrors	1,319.89

6032LED-*	20" Aerostar®, (2) M-Tech Plus® heads	541.48
6032LEDM-*	20" Aerostar®, (2) M-Tech Plus® heads, mag. mount	582.37
6464LED-*	48" Aerostar®, (2) M-Tech Plus® heads	1,127.57
6564LED-*	56" Aerostar®, (2) M-Tech Plus® heads	1,240.80

9404H8L-*	48" Starbar®, (4) Halo® eight LEDs, (2) diamond mirrors, (2) V-mirrors	938.29
9404HL-*	48" Starbar®, (4) Halo® four LEDs, (2) diamond mirrors, (2) V-mirrors	882.52

Strobe Lightbars

Dome colors: A, B, C, G, R



List


Model Number Description

2300SL	36" Razor®, (4) 7" linear strobes, (4) 4.5" linear strobes	1,151.90
2400SL	46" Razor®, (4) 7" linear strobes, (6) 4.5" linear strobes	1,841.42
2420SL	46" Razor®, (4) 7" linear strobes, (4) 4.5" linear strobes, (2) alleys, (2) front takedown/pursuits, (2) rear flashers	1,828.58
2500SL	56" Razor®, (4) 7" linear strobes, (8) 4.5" linear strobes	2,089.52

5300S	36" Sabre®, (2) 360° remote strobe heads, (1) two head strobe pack, (2) large V-mirrors	843.31
5400S	46" Sabre®, (4) 360° remote strobe heads, (2) two head strobe packs, (3) medium double V-mirrors	1,243.50
5510S	56" Sabre®, (4) 360° remote strobe heads, (2) double V-mirrors, (2) rear directional halogen flood lights, (2) two head strobe packs, (2) lower stop/tail/turns	1,442.25
5610S	66" Sabre®, (4) 360° remote strobe heads, (1) halogen rotator, (2) double V-mirrors, (2) small V-mirrors, (2) rear directional halogen flood lights, (2) lower stop/tail/turn lights	1,513.56

Strobe Lightbars (Continued)


Dome colors: A, B, C, G, R



Model Number	Description	List
5300SL	36" Sabre®, (4) 7" linear strobes, (4) 4.5" linear strobes, (2) four head strobe packs	1,634.23
5510SL	46" Sabre®, (4) 7" linear strobes, (4) 4.5" linear strobes, (2) four head strobe packs, (2) directional halogen floor lights, (2) lower stop/tail/turn lights	1,922.88
5610SL	56" Sabre®, (4) 7" linear strobes, (4) 4.5" linear strobes, (2) four head strobe packs, (1) halogen rotator, (2) small V-mirrors, (2) rear directional halogen flood lights, (2) lower stop/tail/turn lights	2,039.15
8300S	36" Star Interceptor®, (2) 360° remote strobe heads, (1) two head strobe pack, (2) medium V-mirrors	675.32
8400S	46" Star Interceptor®, (4) 360° remote strobe heads, (2) two head strobe packs, (2) double V-mirrors	1,025.49
8401S	46" Star Interceptor®, (4) 360° remote strobe heads, (2) two head strobe packs, (3) double V-mirrors, lower directional arrow assembly	1,387.83
8510S	56" Star Interceptor®, (4) 360° remote strobe heads, (2) double V-mirrors, rear directional halogen flood lights, (2) two head strobe packs, (2) lower stop/tail/turn lights	1,205.65
8610S	66" Star Interceptor®, (4) 360° remote strobe heads, (1) halogen rotator, (2) double V-mirrors, (2) medium V-mirrors, (2) directional halogen flood lights, (2) two head strobe packs, (2) lower stop/tail/turn lights	1,276.63
8300SL	36" Star Interceptor®, (4) 7" linear strobes, (4) 4.5" linear strobes, (2) four head strobe packs	1,385.80
8610SL	66" Star Interceptor®, (4) 7" linear strobes, (4) 4.5" linear strobes, (1) halogen rotator, (2) medium V-mirrors, (2) rear directional halogen flood lights, (2) four head strobe packs, (2) lower stop/tail/turn lights	1,802.55
6020S	20" Aerostar®, (2) 360° remote strobe heads, (1) wall mirror/strobe pack, (1) 12" dome section	367.07
6222S	24" Aerostar®, (2) 360° remote strobe heads, (1) two head strobe pack, (1) 16" dome section, (1) medium double V-mirror	400.87
6224SL	24" Aerostar®, (4) 4.5" linear strobe heads, (1) four head power pack, (1) 16" dome section	865.96
6444S	44" Aerostar®, (4) 360° remote strobe heads, (2) medium double V-mirrors, (2) two head strobe packs, (2) 16" dome sections	765.23
9300S	36" Starbar®, (2) 360° remote strobe packs, (2) V-mirrors, (2) wall mirrors, (1) two head strobe pack	480.97
9400S	48" Starbar®, (2) 360° remote strobe packs, (2) V-mirrors, (2) wall mirrors, (1) two head strobe pack	580.35
9404S	48" Starbar®, (4) 360° remote strobe packs, (3) double V-mirrors, (1) two head strobe pack	698.65
9411S	48" Starbar®, (2) 360° remote strobe packs, (2) V-mirrors, (2) wall mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights, (1) two head strobe pack	710.48
9500S	58" Starbar®, (6) 360° remote strobe heads, (2) double V-mirrors, (2) V-mirrors	1,082.61
9512S	58" Starbar®, (4) 360° remote strobe heads, (2) double V-mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights, (2) two head strobe pack	914.63
Halogen Lightbars		
Dome colors: A, B, C, G, R		
		
Model Number	Description	List
5300H	36" Sabre®, (2) halogen rotators, (2) fast halogen rotators, (2) Z-mirrors	725.01
5400H	46" Sabre®, (2) halogen rotators, (2) fast halogen rotators, (2) medium V-mirrors, (2) Z-mirrors	795.65
5401H	46" Sabre®, (2) halogen rotators, (2) fast halogen rotators, (2) medium V-mirrors, (2) Z-mirrors, lower LED directional arrow assembly	1,210.38
8300H	36" Interceptor®, (2) halogen rotators, (2) fast halogen rotators, (2) Z-mirrors	583.05
8400H	46" Interceptor®, (2) halogen rotators, (2) fast halogen rotators, (2) double V-mirrors, (2) Z-mirrors	654.03
8401H	46" Interceptor®, (2) halogen rotators, (2) fast halogen rotators, (1) double V-mirror, (2) Z-mirrors, lower directional arrow assembly with colored lenses	1,068.08
8402HSL	46" Interceptor®, (2) halogen rotators, (2) fast halogen rotators, (2) large V-mirrors, (2) medium V-mirrors, (4) 4.5" linear strobe heads, (1) four head strobe pack	1,105.94
8510H	56" Interceptor®, (2) halogen rotators, (2) fast halogen rotators, (2) Z-mirrors, (2) wall mirrors, (2) rear directional flood lights, (2) lower stop/tail/turn lights, lower directional arrow assembly with colored lenses	935.92
8521H	56" Interceptor®, (2) halogen rotators, (4) fast halogen rotators, (2) Z-mirrors, (2) wall mirrors, (2) rear directional flood lights, (2) lower stop/tail/turn lights, lower directional arrow assembly with colored lenses	1,489.57
8610H	66" Interceptor®, (3) halogen rotators, (3) fast halogen rotators, (2) Z-mirrors, (2) medium V-mirrors, (2) lower stop/tail/turn lights, (2) rear directional flood lights	1,051.52

Halogen Lightbars (Continued)

Dome colors: A, B, C, G, R



Model Number Description

List

6020H	20" Aerostar®, (2) halogen rotators, (1) wall mirror, (1) 12" dome section	304.20
6020HM	20" Aerostar®, (2) halogen rotators, (1) wall mirror, (1) 12" dome section, mag. mount, cig. plug	344.76
6222H	24" Aerostar®, (2) halogen rotators, (1) double V-mirror, (1) 16" dome section	382.95
6304H	40" Aerostar®, (4) halogen rotators, (2) wall mirrors, (2) 12" dome section	670.93
6414H	44" Aerostar®, (4) halogen rotators, (2) front flashers, (2) rear flashers, (2) wall mirrors, (2) 16" dome sections	883.53
6420H	48" Aerostar®, (4) halogen rotators, (2) medium double V-mirrors, (2) 16" dome sections	736.50
6423H	48" Aerostar®, (4) halogen rotators, (2) front flashers, (2) rear flashers, (2) alley lights, (3) 12" dome sections	1,082.27
6430H	48" Aerostar®, (5) halogen rotators, (2) V-mirrors, (2) wall mirrors, (3) 12" dome sections	857.16
6444H	44" Aerostar®, (4) halogen rotators, (2) double V-mirrors, (1) 16" dome section	629.69
6448H	48" Aerostar®, (4) halogen rotators, (2) wall mirrors, (2) front flashers, (2) rear flashers, (2) 16" dome sections	986.28
6500H	52" Aerostar®, (5) halogen rotators, (2) V-mirrors, (2) wall mirrors, (3) 12" dome sections	839.59
6500HSL	52" Aerostar®, (3) halogen rotators, (4) 4.5" linear strobe heads, (1) four head strobe pack, (2) V-mirrors, (3) 12" dome sections	1,588.60
6506H	52" Aerostar®, (2) halogen rotators, (2) V-mirrors, (2) stop/tail/turn lights, (3) D.O.T. marker lights, (2) 16" end dome sections	918.34
6511H	56" Aerostar®, (4) halogen rotators, (2) rear worklights, (2) front flashers, (2) stop/tail/turn lights, (3) D.O.T. market lights, (2) 16" end dome sections	1,132.30
6530H	56" Aerostar®, (5) halogen rotators, (2) V-mirrors, (2) double V-mirrors, (2) 16" dome sections, (1) 12" dome section	777.40
6531H	56" Aerostar®, (5) halogen rotators, (2) front flashers, (2) rear worklights, (2) V-mirrors, (2) stop/tail/turn lights, (2) 16" dome sections, (1) 12" dome section	1,166.10
6550H	52" Aerostar®, (2) halogen rotators, (2) double V-mirror, (2) 16" dome section	744.95
6556H	56" Aerostar®, (4) halogen rotators, (1) wall mirror, (2) front flashers, (2) stop/tail/turn lights, (2) 16" dome sections, (1) 12" dome section	1,079.57
6603H	64" Aerostar®, (3) halogen rotators, (4) V-mirrors, (6) wall mirror arrays, (3) 16" dome sections	865.95
6606H	64" Aerostar®, (6) halogen rotators, (3) double V-mirrors, (3) 16" dome sections	996.08

9300H	36" Starbar®, (2) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors	478.94
9400H	48" Starbar®, (2) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors	532.35
9404H	48" Starbar®, (4) Starbeam halogen rotators, (2) V-mirrors, (2) large wall mirrors	561.76
9411H	48" Starbar®, (2) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights	633.75
9500H	58" Starbar®, (6) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors	897.05
9511H	58" Starbar®, (2) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights	845.00
9512H	58" Starbar®, (4) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights	878.80
9512HS	58" Starbar®, (2) halogen rotators, (2) 360° remote strobe heads, (2) double V-mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights, (1) two head strobe pack	1,014.00

Lightbar Mount Kits

Model Number Description

List

920-35	Ford E-Series (van), Jeep Cherokee ('97 - '07)	24.00
920-35CH	Dodge Charger ('08 - '16)	24.00
920-35CTB	GMC Envoy ('02 - '05)	24.00
920-35CVLP	Ford Crown Victoria ('92 - '11)	24.00
920-35D	Dodge Avenger, Dodge Dart ('08 - '14)	24.00
920-35D1	Ford Explorer ('03 - '15)	24.00
920-35F	Dodge Dakota, Toyota Tundra, Toyota Hilux, Toyota Tacoma	24.00
920-35FX1	4.6" Flexible bracket	24.00
920-35FX2	6.2" Flexible bracket	24.00
920-35FX3	8.4" Flexible bracket	42.25

Lightbar Mount Kits (Continued)

List

Model Number	Description	List
920-35F1	Ford F-Series (150), ('07 - '16)	24.00
920-35F2	Ford F-Series (250, 350, 450, 550), ('07 - '16)	24.00
920-35F3	Ford Edge, Ford Escape, Ford Taurus Interceptor (sedan), ('11 - '13)	24.00
920-35F5	Ford Interceptor (Explorer), ('12 - '16)	24.00
920-35F6	Ford E-450 ('03 - '09)	24.00
920-35F9	Ford F-Series (250, 350, 450), ('03 - '16)	24.00
920-35FT	Ford Expedition ('03 - '15)	24.00
920-35GM	Dodge Dakota (Reg. Ext. Crew), Jeep Grand Cherokee, Jeep Liberty, Pontiac Grand Prix	24.00
920-35GM5	Chevrolet Suburban, Chevrolet Tahoe ('07 - '14)	24.00
920-35GM6	Chevrolet Colorado, GMC Canyon ('04 - '12)	24.00
920-35GM7	Chevrolet Caprice ('11 - '15)	24.00
920-35I6	Chevrolet Impala ('06 - '13)	24.00
920-35IZ	Isuzu Delivery Truck Chassis ('00 - '04)	24.00
920-35M1	Dodge Charger ('05-'07),	24.00
920-35RM2	Dodge Ram Pickup Reg. ('03-'07)	24.00
920-35RM3	Dodge Ram Pickup Crew 1500, 2500, 3500 ('08-'16)	24.00
920-35RM5	Dodge Ram Pickup Crew ('03-'07)	24.00
920-35-S105	Chevrolet - Avalanche, C/K Pickup (1500, 2500, 3500), Silverado/Sierra, Trailblazer, Dodge Durango, GMC Trucks	24.00



Star Alarms® back-up alarms



List

Model Number	Description	List
66-087	87 db, reverse speaker, compact heavy duty plastic housing, 12-36V	45.29
66-097	97 db, reverse speaker, compact heavy duty plastic housing, 12-36V	45.29
66-097-12	97 db, reverse speaker, compact heavy duty plastic housing, 12V only	45.29
66-102	102 db, reverse speaker, compact heavy duty plastic housing, 12-36V	45.29
66-107-12	107 db, reverse speaker, compact heavy duty plastic housing, 12V only	45.29
66-107-24	107 db, reverse speaker, compact heavy duty plastic housing, 24V only	45.29
66-097DT	97 db, reverse speaker, dual tone, compact heavy duty plastic housing, 12-36V	45.29
66-102DT	102 db, reverse speaker, dual tone, compact heavy duty plastic housing, 12V only	45.29
66-707A	77-97 db, reverse speaker, auto adjust, compact heavy duty plastic housing, 12-24V	49.69
66-802A	82-102 db, reverse speaker, auto adjust, compact heavy duty plastic housing, 12-24V	49.69
66-807A	87-107 db, reverse speaker, auto adjust, compact heavy duty plastic housing, 12V only	49.69
66-807A-24	87-107 db, reverse speaker, auto adjust, compact heavy duty plastic housing, 24V only	49.69
66-802S	87 or 102 db, reverse speaker, selectable, compact heavy duty plastic housing, 12-36V	49.69
66-907S	97 or 107 db, reverse speaker, selectable, compact heavy duty plastic housing, 12V only	49.69
66-097DF	97 db, reverse speaker, dual function, compact heavy duty plastic housing, 12-36V	59.15
66L-087	87 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	45.29
66L-097	97 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	45.29
66L-097-12	97 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12V only	45.29
66L-102	102 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	45.29
66L-107-12	107 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12V only	45.29
66L-107-24	107 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 24V only	51.71
66L-097DT	97 db, reverse speaker, attached lugs, dual tone, compact heavy duty plastic housing, 12-36V	46.31
66L-102DT	102 db, reverse speaker, attached lugs, dual tone, compact heavy duty plastic housing, 12V only	46.31
66L-707A	77-97 db, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12-24V	49.69
66L-802A	82-102 db, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12-24V	49.69
66L-807A	87-107 db, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12V only	49.69

Star Alarms® back-up alarms (Continued)




Model Number Description

List

66-087SS	87 db, reverse speaker, Star Spectrum™, multi frequency tone, compact heavy duty plastic housing, 12-36V	79.09
66-092SS	92 db, reverse speaker, Star Spectrum™, multi frequency tone, compact heavy duty plastic housing, 12-36V	79.09
66-097SS	97 db, reverse speaker, Star Spectrum™, multi frequency tone, compact heavy duty plastic housing, 12-36V	79.09
66-087SSNS	87 db, reverse speaker, Star Spectrum™, night silent spectrum tone, compact heavy duty plastic housing, 12-36V	79.09
66-097SSNS	97 db, reverse speaker, Star Spectrum™, night silent, spectrum tone, compact heavy duty plastic housing, 12-36V	79.09
66-087NS	87 db, reverse speaker, Star Spectrum™, night silent, compact heavy duty plastic housing, 12-36V	79.09
66-097NS	97 db, reverse speaker, Star Spectrum™, night silent, compact heavy duty plastic housing, 12-36V	79.09
66-102NS	102 db, reverse speaker, Star Spectrum™, night silent, compact heavy duty plastic housing, 12-36V	79.09
66L-097SS	97 db, reverse speaker, Star Spectrum™, lugs only, night silent, compact heavy duty plastic housing, 12-36V	79.09
68-112	112 db, reverse speaker, wire leads, compact heavy duty nylon filled housing, 12-24V	89.23
68C-112	112 db, reverse speaker, 12" wire cable, compact heavy duty nylon filled housing, 12-24V	91.26
68L-112	112 db, reverse speaker, lugs only, compact heavy duty nylon filled housing, 12-24V	91.26
61-107-12	107 db, compact cast aluminum, 12V only	80.11
61-112	112 db, compact cast aluminum, 12-24V	91.60
64-087	87 db, attached wire leads, compact heavy duty plastic housing, 12-36V	30.42
64-097	97 db, attached wire leads, compact heavy duty plastic housing, 12-36V	33.12
64-097-12	97 db, attached wire leads, compact heavy duty plastic housing, 12V only	33.12
64-102	102 db, attached wire leads, compact heavy duty plastic housing, 12-36V	33.12
64-107-12	107 db, attached wire leads, compact heavy duty plastic housing, 12V only	33.12
64-107-24	107 db, attached wire leads, compact heavy duty plastic housing, 24V only	33.12
64G-087	87 db, wire lugs and self grounding strap, compact heavy duty plastic housing, 12-36V	30.42
64G-097	97 db, wire lugs and self grounding strap, compact heavy duty plastic housing, 12-36V	34.14
64G-102	102 db, wire lugs and self grounding strap, compact heavy duty plastic housing, 12-36V	34.14
64G-107-12	107 db, wire lugs and self grounding strap, compact heavy duty plastic housing, 12V only	34.14
63-087	87 db, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	38.19
63-097	97 db, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	38.19
63-097-12	97 db, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 12V only	38.19
63-102	102 db, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	38.19
63-107-12	107 db, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 12V only	38.19
63-107-24	107 db, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 24V only	38.19
63-097DT	97 db, dual tone, compact heavy duty plastic housing, 12-36V	40.90
63-102DT	102 db, dual tone, compact heavy duty plastic housing, 12V only	40.90
60-087	87 db, single tone, compact cast aluminum, 12-36V	40.22
60-097	97 db, single tone, compact cast aluminum, 12-36V	40.90
60-102	102 db, single tone, compact cast aluminum, 12-36V	40.90
60-107-12	107 db, single tone, compact cast aluminum, 12V only	40.90
60-107-24	107 db, single tone, compact cast aluminum, 24-36V only	42.59
60-097DT	97 db, dual tone, compact cast aluminum, 12-36V	54.42
60-102DT	102 db, dual tone, compact cast aluminum, 12V only	56.45
60-707A	77-97 db, auto adjust, compact heavy duty plastic housing, 12-24V	66.92
60-802A	82-102 db, auto adjust, compact heavy duty plastic housing, 12-24V	71.66
60-807A	87-107 db, auto adjust, compact heavy duty plastic housing, 12V only	71.66

Star Alarms® Back-Up Alarms (Continued)



List

Model Number	Description	List
BB6-097-10	97 db, bulk pack - 10 pieces, self-grounding strap	252.82
BB6-097-30	97 db, bulk pack - 30 pieces, dividers, self-grounding strap	710.81



DK64-087	87 db, wall mount display for 64-087	173.06
DK64-097	97 db, wall mount display for 64-097	186.24
DK64-097-12	97 db, wall mount display for 64-097-12	186.24
DK64-102	102 db, wall mount display for 64-102	186.24
DK64-107-12	107 db, wall mount display for 64-107-12	186.24

DK64G-087	87 db, wall mount display for 64G-087	173.39
DK64G-097	97 db, wall mount display for 64G-097	190.97
DK64G-097-12	97 db, wall mount display for 64G-097-12	190.97
DK64G-102	102 db, wall mount display for 64G-102	190.97
DK64G-107-12	107 db, wall mount display for 64G-107-12	190.97

DKC64-087	87 db, counter display for 64-087	173.06
DKC64-097	97 db, counter display for 64-097	186.24
DKC64-097-12	97 db, counter display for 64-097-12	186.24
DKC64-102	102 db, counter display for 64-102	186.24
DKC64-107-12	107 db, counter display for 64-107-12	186.24

DKC64G-087	87 db, counter display for 64G-087	173.39
DKC64G-097	97 db, counter display for 64G-097	190.97
DKC64G-097-12	97 db, counter display for 64G-097-12	190.97
DKC64G-102	102 db, counter display for 64G-102	190.97
DKC64G-107-12	107 db, counter display for 64G-107-12	190.97

Switch Panels and Switch Boxes



List

Model Number	Description	List
SB4020	(1) 40 amp switch, (5) 20 amp switches, 2' wire harness	169.00
SB4020-15	(1) 40 amp switch, (5) 20 amp switches, 15' wire harness	202.80
SB4020T	(1) 40 amp switch, (5) 20 amp switches, nine position terminal block	178.13
SB4040	(4) 20 amp switch, (1) three mode 40 amps max, progressive slide switch, 2' wire harness, adjustable jumper	190.63
SB4040-15	(4) 20 amp switch, (1) three mode 40 amps max, progressive slide switch, 15' wire harness	227.81
SB4425T	(1) on/off master power switch, (4) 40 amp switches, (5) 20 amp switches, twelve position terminal block	336.98

SB1515	Enclosed switch box, (4) 15 amp switches	72.33
SP1515	Switch panel, (4) 15 amp switches	68.61
SB3015	Enclosed switch box, (1) 30 amp switch, (3) 15 amp switches	90.25
SP3015	Switch panel, (1) 30 amp switch, (3) 15 amp switches	86.87

SP3860-1	On/Off	27.72
SP3860-2	On/Off, On/Off	35.49
SP3860-2H	On/Off, High/Low	35.49
SP3860-2MH	On/Off, Momentary	35.49
SP3860-3	On/Off, On/Off, On/Off	43.60
SP3860-3H	On/Off, High/Low, On/Off	67.60
SP3860-4	On/Off, On/Off, On/Off, On/Off	84.50
SP3860-4H	On/Off, High/Low, On/Off, On/Off	84.50
SP3860-5	On/Off, On/Off, On/Off, On/Off, On/Off	92.95

SW-11	Replacement, 30 amp on/off lighted rocker switch for SB3015	20.62
SW-20	Replacement, rocker switch for FM696 flasher box	11.49
SW-40	Replacement, 20 amp on/off lighted rocker switch for SP and SB series switch boxes and panels	12.84

Starflash™ flasher Modules



Model Number	Description	List
FM3662	Two or four halogen flasher, alternating pattern, solid state, 2.4 fps, 12V	70.98
FM3666	Alternating mechanical headlight flasher, 12V	53.07
FM3667	Back-up/brake light flasher, solid state, 2.4 fps, 12V	91.94
FM3669C	1-12 flasher module, custom pattern, daytime running light compatibility, 0.8 to 3.6 fps, 12V	93.96
FM6901	Alternating headlight flasher, 1.9 fps, 12V	63.21
FM6902	Alternating headlight flasher, 2.9 fps, 12V	68.95
FM6903	Simultaneous headlight flasher, 2.9 fps, 12V	72.33
FM6904	Triple flashes left, then right, then simultaneous, 2.9 fps	68.95
FM6905	Headlight flasher module exclusive to Ford Crown Victoria Police Packages, 0.8 to 3.6 fps, 10-16V	134.52
FM6906	Headlight flasher module exclusive to Chevrolet Impala Police Packages, 3.0 fps, 12V	134.52
FM6907	Headlight flasher module exclusive to Caprice Police Packages 2011 and newer, 3.0 fps, 12V	134.52
FM6908	Isolated high beam headlight flasher for Chrysler vehicles, 0.8 to 3.6 fps, 12V	134.52
FM6909	Headlight flasher module exclusive to Chevy Tahoe Police Packages 2007 and newer, 12V	134.52

Accessories



Model Number	Description	List
BB274-BEACONMMB	1" NPT beacon mirror bracket, west coast style, for 1" NPT threaded beacons	30.42
BB274-7100MMB	West coast style mirror bracket for the 7100 lightbar	16.90
BB274-MINIBAR-RSR	Universal Mini-bar bracket for 9100, 9200, 9016, 9018 series Mini-bars	33.80
BB274-DLXTHU-LPB	DLXTHU/DLXT license plate bracket mounts 2 units	42.25
BB274-343K	Adjustable beacon bracket	150.41
BBK-FDCH	Steering Wheel interface circuit for Ford Interceptor SUV, Sedan, and Dodge Charger	111.87

BB-BEACON	Beacon Buddy™, beacon base assembly	33.80
BB-DS-F150	Beacon Buddy™, driverside short post, for F150 pick-up truck	185.90
BB-DSB-F150	Beacon Buddy™, rear, driver side, short, beacon	258.57
BB-DSM-F150	Beacon Buddy™, rear, driver side, short, mini-bar	278.85
BB-DT-F150	Beacon Buddy™, driverside tall post, for F150 pick-up truck	232.54
BB-DTB-F150	Beacon Buddy™, driverside tall post, with beacon plate for F150 pick-up truck	295.75
BB-DTM-F150	Beacon Buddy™, driver side, tall post, mini-bar	317.04
BB-MINIBAR	Beacon Buddy™, mini-bar base assembly	87.88
BB-PS-F150	Beacon Buddy™, rear, passenger side, short post	185.90
BB-PSB-F150	Beacon Buddy™, rear, passenger, short, beacon	258.57
BB-PSM-F150	Beacon Buddy™, rear passenger, short, mini-bar	278.85
BB-PT-F150	Beacon Buddy™, passenger side, tall post	232.54
BB-PTB-F150	Beacon Buddy™, passenger side, tall post, beacon	295.75
BB-PTM-F150	Beacon Buddy™, passenger side, tall post, mini-bar	317.04

274-SL	Self levelling bracket	93.96
274-SL1	Self levelling bracket for mini-bars	117.29
SR10	Horizontal mount, three unit organizer	52.39
SR12	Horizontal mount, four unit organizer	56.11
SR7	Vertical mount, two unit organizer	40.22
SR9	Vertical mount, three unit organizer	44.62

121BX	Heavy duty enclosed mounting box for one 6" oval light head	114.24
122BX	Heavy duty enclosed mounting box for two 6" oval light heads	147.03
123BX	Heavy duty enclosed mounting box for three 6" oval light heads	197.73
131BX	Light duty enclosed mounting box for one 6" oval light head	46.31
132BX	Light duty enclosed mounting box for two 6" oval light heads	68.95
133BX	Light duty enclosed mounting box for three 6" oval light heads	105.79
141BX	Light duty enclosed mounting box for one 4" round light head	46.31
142BX	Light duty enclosed mounting box for two 4" round light heads	68.95
143BX	Light duty enclosed mounting box for three 4" round light heads	105.79

63-642	Any directional back-up alarm switch	52.39
63-643	Uni-directional back-up alarm switch	44.27

Accessories (Worklights)




Model Number	Description	List
510	Clear, 4411 sealed beam, 3000cp	55.77
511	Clear, 4411 sealed beam, clear polycarbonate lens	55.09
510-1	Clear, toggle switch	56.78
510-1M	Clear, mag. mount, cig. plug, toggle switch	76.05
510-4509	Clear, 4509 high intensity sealed beam, 3000cp	58.47
510-M	Clear, mag. mount, cig. plug	70.98
510-TK	Two stop/tail light tow kit, mag. mount, 30' cord	191.98
511-1M	Clear, mag. mount, cig. plug, toggle switch, lens shield	63.21

Accessories (Stainless Steel Guards and Mounting)



Model Number	Description	List
274-40C	Tall guard for 240 series	36.84
274-40S	Short guard for 240 series	46.31
274-55TC	Tall guard for 255TC series	44.62
274-55TS	Short guard for 255TS series	44.62
274-SL255	Self leveling bracket for 255 series	99.37
274-MMB	Mirror mount bracket, 1/2" pipe mount	35.15
274-MMBT	1/2" NPT truck mirror mount bracket	35.15
274-MMB1S	1" NPT truck mirror mount bracket	35.15
274-MMBS	1/2" NPT truck mirror mount bracket	35.15

Strobe tube and bulb guide




Model Number	Description	List
129	5 pin helical strobe tube	25.35
129-DH	Flash tube, double flash	40.56
129-R	Squat flash tube for 241 Series and 845S	28.73
129-Z	Strobe tube	21.97
LST129-4	4.5" linear strobe tube	26.70
LST129-7	7" and 9" linear strobe head	43.26
ST3901-*	Strobe head, weatherproof connector (* = A, B, C, R)	54.42
ST3901-12	Replacement strobe	54.42
ST3901-7	Strobe tube assembly head for mini-bars and lightbars	54.42
ST413P*	Phantom strobe tube, amp connector, (* = A, R, B)	43.26
ST413P*-W	Phantom strobe tube, weatherproof connector, (* = A, R, B)	43.26
ST415PC	Clear hide-a-way strobe head, amp connector	43.26
ST415PC-W	Clear hide-a-way strobe head, weatherproof connector	43.26

2073-1142	18.4 watt bulb, incandescent, double contact	5.75
2073-1157	Stop/tail/turn bulb	3.04
2073-1195	Single contact bulb, bayonet base, 35 watt, 12V	4.06
2073-4411	Screw terminal lamp GE 300, candle power screw terminal, 12.8V	14.20
2073-4505	24V bulb	46.31
2073-4509	Lamp GE product code	39.88
2073-59013	20 watt, halogen spot for Starbar® and alley lights	28.73
2073-7400	Clear, sealed beam fro 400 and 540 series lights, 12V	14.20
2073-795X	50 watt halogen bulb, single contact, 12V	14.53
2073-797	50 watt, bi-pin bulb for 1169H	9.13
2073-94	13.3 watt incandescent, double contact bulb for Sabre® and Interceptor® Traffic Director	10.14
2073-FTEFG	35 watt bulb for Razor® alley light, 12V	28.73
2073-H20-W24	Halogen lamp, 18 watt, double contact, 24V	14.87
2073-H27	Double contact bulb fits Interceptor® lower level and alley, Aerostar® new style alley and Hotshot	14.53
2073-H27-24V	27 watt, halogen lamp, 24V	14.53
2073-H3-1 (12V)	Halogen bulb for 505HM and grille/deck lights, 55 watt, 12V	8.11
2073-H3-1 (24V)	Halogen bulb for 505HM, 24V	15.89
2073-H50S	Special 50 watt short halogen bulb for Sabre® rotator	19.27
2073-H50-W24	Single contact halogen bulb, 50 watt, fits 24V rotators, 24V	14.87

Sirens

Model Number	Description	List
LCS600	Hand held multi-function microphone, 100 watt	297.77
LCS652-013	Four mode economy siren, two auxiliary power switches, without P.A., 100 watt	201.11
LCS653-013	Four mode undercover siren, two auxiliary power switches, without P.A., 100 watt	282.23
LCS653-1-013	Three mode undercover siren, one auxiliary power switches, without P.A., 100 watt	282.23
LCS770	Six mode siren, P.A., backlit, seven switch functions, 100/200 watt	643.89
LCS771	Light control siren, six rocker switches, one slide switch, with detachable microphone, 100/200 watt, 10-16V	526.26
LCS771-LM	Light control siren, six rocker switches, one slide switch, no microphone, 100/200 watt, 10-16V	507.00
LCS771-28	Light control siren, six rocker switches, one slide switch, with detachable microphone, 100/200 watt, 28V	625.30
LCS790	Light control siren, 200 watt	789.57
LCS800-008	Unistar Command Center™, less flange	900.09
LCS800-DM8	Unistar Command Center™, less flange with detachable microphone	945.05
LCS800-F8	Unistar Command Center™, flange	900.09
LCS850-8	Unistar Command Center™, less flange	1,125.54
LCS850-DM8	Unistar Command Center™, less flange with detachable microphone	1,170.49
LCS850-F8	Unistar Command Center™, flange, Traffic Director controller	1,125.54
LCS850MG12	Unistar Command Center™, siren with amp, less flange, dual tone, 200 watt	1,409.80
LCS850MG-F12	Unistar Command Center™, siren with amp, head with flange, dual tone, 200 watt	1,409.80
LCS869	MI- Control™, small nine button siren control, small hand held control with amp, six siren, two light functions, 100 watt	383.63
LCS880-008	Unistar Command Center™, hand held	652.00
LCS881-008	Unistar Command Center™, hand held with Traffic Director controller	877.79
SS650-013	four mode economy siren, without P.A., 100 watt	176.10
SS651-013	four mode undercover siren, without P.A., 100 watt	194.35
SS651MT-013	four mode motorcycle siren with control unit, without P.A., 100 watt	395.12
SS670-013	Compact six mode siren, P.A., backlit, 100 watt	237.28
SS700-016	Six mode siren, P.A., backlit, 100/200 watt	291.36
SS730	Six mode remote siren, P.A., backlit, 100/200 watt	562.09
SS741MG-11	Six mode dual amp siren, P.A., 100/200 watt	674.65
SS741MG-DM11	Six mode dual amp siren, detachable microphone, P.A., 100/200 watt	713.52
SS867	Small seven button hand held siren control unit w/amp, six siren functions, 100 watt	349.83



Speakers

Model Number Description

List

D-10	Wide angle sound distribution, Fiberglass housing, 100 watt	228.83
D-30	Concealed, narrow space mounting, steel housing, 100 watt	222.07
D-44	Cyclone™ speaker, 100 watt	255.19
D-44-16	Universal "L" bracket, '04-'05 Dodge Durango, '01 Ford Taurus, '02-'09 Ford Explorer, '04-'09 GMC Envoy, '02-'13 Chevrolet Avalanche, '02-'09 Chevrolet Suburban, '04-'06 Chevrolet Tahoe, 100 watt Cyclone™ speaker	275.47
D-44-17	Center mount bracket, '03-'11 Ford Crown Victoria, 100 watt Cyclone™ speaker	275.47
D-44-18	'07-'15 Chevrolet Suburban, '07-'15 Chevrolet Tahoe, 100 watt Cyclone™ speaker	275.47
D-44-19	'06-'13 Chevrolet Impala, 100 watt Cyclone™ speaker	275.47
D-44-20	'06-'13 Dodge Charger, 100 watt Cyclone™ speaker	275.47
D-44-21	Universal two piece adjustable bracket, 100 watt Cyclone™ speaker	275.47
D-44-22L	'08-'09 Ford F-Series Super Duty, driver side, 100 watt Cyclone™ speaker	275.47
D-44-22R	'08-'09 Ford F-Series Super Duty, passenger side, 100 watt Cyclone™ speaker	275.47
D-44-23	'08-'15 E-350/450, 100 watt Cyclone™ speaker	275.47
D-44-24	'07-'15 Ford Expedition, 100 watt Cyclone™ speaker	275.47
D-44-27	'11-'16 Dodge Charger, 100 watt Cyclone™ speaker	275.47
D-44-28	'10-'16 Ford Taurus, 100 watt Cyclone™ speaker	275.47
D-44-29	'11-'15 Ford F350, 100 watt Cyclone™ speaker	275.47
D-44-30	'11-'15 Dodge 4500, 100 watt Cyclone™ speaker	275.47
D-44-31	'11-'16 Chevrolet Caprice, 100 watt Cyclone™ speaker	275.47
D-44-32	'11-'16 dual bracket for Dodge Charger, 100 watt (each) Cyclone™ speaker	550.26
D-44-33	'10-'16 Dodge Durango, 100 watt Cyclone™ speaker	275.47
D-44-34	'10-'16 dual bracket for Inspector SUV, 100 watt (each) Cyclone™ speaker	550.26
D-44-35	'16 Chevy Tahoe, Suburban Cyclone™ speaker	275.47
D-44-FIS	'10-'16 Ford Interceptor Sedan, Cyclone speaker™ with SPBRK-28 installed, direct Plug-n-Play, 100 watt	285.27
D-44-FISUV	'10-'16 Ford Interceptor SUV, Cyclone speaker™ with SPBRK-28 installed, direct Plug-n-Play, 100 watt	285.27
D-60	ABS plastic housing, 100 watt	220.38
D-60C	High visibility, high gloss electro polished aluminum housing, 100 watt	288.31
D-60LP	Low profile mounting, ABS plastic housing, 100 watt	218.35
D-60-RBB	Compact for motorcycles, ABS plastic housing, 100 watt	241.67
D-60-RBS	Compact for motorcycles, high gloss electro polished aluminum housing, 100 watt	241.67

129	22	200J-1	5	2073-797	22	240HCGL	2
510	22	200JQ	5	2073-94	22	240HCL	2
511	22	200JQ-1	5	2073-FTEFG	22	240H8SGL	2
1166HM	6	200S	5	2073-H20-W24	22	240H8SL	2
1166IM	6	200SH8L	2	2073-H27	22	240H8SLM	2
1169H	6	200SH8LM	2	2073-H27-24V	22	240HCFL	2
1169HM	6	200SHDL	3	2073-H3-1 (12V)	22	240HCGL	2
1188H	6	200SHDLM	3	2073-H3-1 (24V)	22	240HCL	2
1188HM	6	200SHL	2	2073-H50S	22	240HCLM	2
121BX	21	200SHLM	2	2073-H50-W24	22	240HSFL	2
122BX	21	200SM	5	20FI	7	240HSGL	2
123BX	21	200U	6	20FI-1	7	240HSL	2
129-DH	22	200U-1	6	20RH	6	240HSLM	2
129-R	22	200Z	5	20RHF	6	240S	5
129-Z	22	200ZHL	3	20RHM	6	240S-U	5
131BX	21	200ZHLM	3	20RI	6	240SF	5
132BX	21	200ZHRL	3	20RIF	6	240SF-U	5
133BX	21	200ZHRLM	3	20RIM	6	240SFD-U	5
1400LED-AA	14	200ZL	4	20ZI	6	240SFL	4
141BX	21	200ZL-110	4	20ZIM	6	240SM	5
1421DLED-RBCA	14	200ZLM	4	211R	5	241S	5
1421LED-RB	14	200ZM	5	211RM	5	241SF	5
1423LED-RB	14	200ZMQ	5	211RMQ	5	241SM	5
142BX	21	200ZQ	5	211RQ	5	2420SL	15
143BX	21	201Z	5	21ZI	6	242CFL	5
1510LED-AA	15	201ZL	4	21ZIM	6	242CL	5
1521LED-RB	15	201ZL-110	4	2300SL	15	242CLM	5
1521DLED-RBCA	15	201ZLM	4	2360LED	15	242SFL	5
1523LED-RB	15	201ZM	5	2364LED	15	242SL	5
200A	4	201ZMQ	5	2400SL	15	242SLM	5
200ADH	4	201ZQ	5	240C	5	2460LED	15
200AH8L	2	203MV	5	240C-U	5	2461LED	15
200AHDL	3	203MVL	4	240CF	5	2462LED	15
200AHL	2	203MVL-110	4	240CFD-U	5	2463LED	15
200AQH	4	203MVL	4	240CFL	4	2464LED	15
200B	4	203MVM	5	240CM	5	2464LED-TOW	15
200BDH	4	204MV	5	240H8AFL	2	2500SL	15
200BH8L	2	204MVL	4	240H8AL	2	250A	4
200BHL	2	204MVL-110	4	240H8ALM	2	250ADH	4
200BQH	4	2073-1142	22	240H8CFL	2	250AH	4
200C	4	2073-1157	22	240H8CGL	2	250AQH	4
200CF	4	2073-1195	22	240H8CL	2	250C	4
200CH8L	2	2073-4411	22	240H8CLM	2	250CDH	4
200CHF8L	2	2073-4505	22	240H8SFL	2	250CH	4
200CHFL	2	2073-4509	22	240H8SGL	2	250CQH	4
200CHL	2	2073-59013	22	240H8SL	2	250S	4
200E	4	2073-7400	22	240H8SLM	2	250SDH	4
200J	5	2073-795X	22	240HCFL	2	250SH	4

250SQH	4
251H8TAL	3
251H8TAL-BG	3
251H8TCL	3
251H8TCL-BG	3
251H8TSL	3
251H8TSL-BG	3
251HTAL	3
251HTAL-BG	3
251HTCL	3
251HTCL-BG	3
251HTSL	3
251HTSL-BG	3
255H8TAL	2
255H8TALV	2
255H8TCL	2
255H8TCFL	2
255H8TCLM	2
255H8TCLV	2
255H8TSLS-A	2
255H8TSLV-A	2
255HTC	4
255HTCL	2
255HTCFL	2
255HTCLM	2
255HTCLV	2
255HTCM	4
255HTCV	4
255HTSL	2
255HTSFL	2
255HTSLM	2
255HTSLV	2
255TC	5
255TCM	5
255TCV	5
255TS	5
255TSM	5
255TSV	5
2565LED-TOW	15
256TCL	3
256TCFL	3
256TCLM	3
256TCLV	3
256TSL	3
256TSFL	3
256TSLM	3
257H8TCL	3

256TSLV	3
257H8TAL	3
257H8TALV	3
257H8TCL	3
257H8TCLV	3
257H8TSL	3
257H8TSLV	3
257HTCL	3
257HTCLV	3
257HTSL	3
257HTSLV	3
258HTDAL	3
258HTDALV	3
258HTDCL	3
258HTDCLV	3
258HTDSL	3
258HTDSLV	3
274-40C	22
274-40S	22
274-55TC	22
274-55TS	22
274-874	6
274-878	6
274-DLIT-RL	10
274-DLIT-U	10
274-DLX4-6-1X2	8
274-DLX4-6-2X1	8
274-DLX4-6-45	8
274-DLX4-6-HK	8
274-DLX4-6-RL	8
274-DLX4-6-T	8
274-DLX4-6-U	8
274-DLX4-6-W	8
274-DLXT-1X2	7
274-DLXT-2X1	7
274-DLXT-45	7
274-DLXT-RL	7
274-DLXT-T	7
274-DLXT-U	8
274-DLXT-W	8
274-MMB	22
274-MMB1S	22
274-MMBS	22
274-MMBT	22
274-SL	21
274-SL1	21
274-SL255	22
274-ULB10-CH	13
274-ULB10-CH11	13

274-ULB10-CP	13
274-ULB10-CV	13
274-ULB10-EX	13
274-ULB10-F1	13
274-ULB10-IM	13
274-ULB10-INT	13
274-ULB10-RM	13
274-ULB10-TA	13
274-ULB10-U1	13
274-ULB21-CH	13
274-ULB21-CH11	13
274-ULB21-CP	13
274-ULB21-CV	13
274-ULB21-EX	13
274-ULB21-F1	13
274-ULB21-IM	13
274-ULB21-INT	13
274-ULB21-RM	13
274-ULB21-TA	13
274-ULB21-U1	13
450A	6
450AH	6
450B	6
450BH	6
455BH	6
455BHF	6
455BHV	6
510-1	22
510-1M	22
510-4509	22
510-M	22
510-TK	22
511-1M	22
5300H	16
5300S	15
5300SL	16
5364LED	15
5400H	16
5400S	15
5401H	16
5462LED	15
5464LED	15
5510S	15
5510SL	16
5564LED	15
5610S	15
5610SL	16
60-087	19
60-097	19

60-097DT	19
60-102	19
60-102DT	19
60-107-12	19
60-107-24	19
6020H	17
6020HM	17
6020S	16
6032LED	15
6032LEDM	15
60-707A	19
60-802A	19
60-807A	19
61-107-12	19
61-112	19
6222H	17
6222S	16
6224SL	16
6304H	17
63-087	19
63-097	19
63-097-12	19
63-097DT	19
63-102	19
63-102DT	19
63-107-12	19
63-107-24	19
63-642	21
63-643	21
64-087	19
64-097	19
64-097-12	19
64-102	19
64-107-12	19
64-107-24	19
6414H	17
6420H	17
6423H	17
6430H	17
6444H	17
6444S	16
6448H	17
6464LED	15
64G-087	19
64G-097	19
64G-102	19
64G-107-12	19
6500H	17
6500HSL	17

6506H	17	7100DLED	14	9200HM	14	9411H	17
6511H	17	7100LED	14	9200HV	14	9411S	16
6530H	17	7100LED-TB	14	9200HV	14	9500H	17
6531H	17	7232LED	15	9200S	14	9500S	16
6550H	17	735-FI-SB-PC	7	9200S-BOY	14	9511H	17
6556H	17	735PS	6	9200SM	14	9512HS	17
6564LED	15	735PSM	6	9200SM-BOY	14	9512S	16
6603H	17	7460LED	15	9200SV	14	BB274-251DK	3
6606H	17	7461LED	15	9200SV-BOY	14	BB274-251K	3
66-087	18	7462LED	15	9202L	14	BB274-343K	21
66-087NS	19	7464LED	15	9202LM	14	BB274-7100MB	21
66-087SS	19	7564LED-TOW	15	9202LV	14	BB274-BEACONMMB	21
66-087SSNS	19	7565LED-TOW	15	920-35	17	BB274-DLX46LPM	8
66-092SS	19	8300H	16	920-35CH	17	BB274-DLX46-RHK	8
66-097	18	8300S	16	920-35CTB	17	BB274-DLX46-RSB	8
66-097-12	18	8300SL	16	920-35CVLP	17	BB274-DLX46-SLP	8
66-097DF	18	8400H	16	920-35D	17	BB274-DLX6-BAIL	8
66-097DT	18	8400S	16	920-35D1	17	BB-274-DLXTHU-LPB	21
66-097NS	19	8401H	16	920-35F	17	BB274-DLXT-LPB	8
66-097SS	19	8401S	16	920-35F1	18	BB274-DLX-VC	8
66-097SSNS	19	8402HSL	16	920-35F2	18	BB274-FISUV-GRL	8
66-102	18	845S	6	920-35F3	18	BB274-FISUV-VER	8
66-102DT	18	845SQ	6	920-35F5	18	BB274-MINIBAR-RSR	21
66-102NS	19	8510H	16	920-35F6	18	BB6-097-10	20
66-107-12	18	8510S	16	920-35F9	18	BB6-097-30	20
66-107-24	18	8521H	16	920-35FT	18	BB-BEACON	21
66-707A	18	8610H	16	920-35FX1	17	BB-DSB-F150	21
66-802A	18	8610S	16	920-35FX2	17	BB-DS-F150	21
66-802S	18	8610SL	16	920-35FX3	17	BB-DSM-F150	21
66-807A	18	9016LED	13	920-35GM	18	BB-DTB-F150	21
66-807A-24	18	9016LEDM	13	920-35GM5	18	BB-DT-F150	21
66-907S	18	9016LEDV	13	920-35GM6	18	BB-DTM-F150	21
66L-087	18	9018DLED	14	920-35GM7	18	BB-MINIBAR	21
66L-097	18	9018LED	14	920-35I6	18	BB-PSB-F150	21
66L-097-12	18	9018TBLED	14	920-35IZ	18	BB-PS-F150	21
66L-097DT	18	9100LED	14	920-35M1	18	BB-PSM-F150	21
66L-097SS	19	9100LEDM	14	920-35RM2	18	BB-PTB-F150	21
66L-102	18	9100LED-T13	14	920-35RM3	18	BB-PT-F150	21
66L-102DT	18	9100LEDV	14	920-35RM5	18	BB-PTM-F150	21
66L-107-12	18	9100LEDV-T13	14	920-35-S105	18	BBK-FDCH	21
66L-107-24	18	9200H	14	9300H	17	BBK6VER-1-FISUV	8
66L-707A	18	9200H8L	14	9300S	16	BBK6VER-1-TA	8
66L-102DT	18	9200H8LM	14	9400H	17	BK200ZHRL	10
66L-802A	18	9200H8LV	14	9400S	16	BK200ZHRP	10
66L-807A	18	9200HL	14	9404H	17	BK255H8TCL	10
68-112	19	9200HLM	14	9404H8L	15	BK255H8TSL	10
68C-112	19	9200HLV	14	9404HL	15	BK9016LED	10
68L-112	19	9200HM	14	9404S	16		

BK9100LED	10
BKDLITE	10
BKDLITS	10
BKDLS306	10
BKDLX3	10
BKDLX4	10
BKDLX6F	10
BKDLXT-121	10
BKDLXTHR	10
BKDLXTHU	10
BKLD418-2	10
BKLDHF311-*-10	10
BKSWH-346-10	10
BKSWH-346-18	10
BKSWH-346-19	10
BKSWH-346-23	10
BKSWH-346-24	10
BKSWH-346-5	10
BKSWH-357-18	10
BKSWH-357-23	10
BKSWH-361-10	10
BKSWH-361-14	10
BKSWH-361-16	10
BKSWH-361-18	10
BKSWH-361-21	10
D-10	24
D-30	24
D-44	24
D-44-16	24
D-44-17	24
D-44-18	24
D-44-19	24
D-44-20	24
D-44-21	24
D-44-22L	24
D-44-22R	24
D-44-23	24
D-44-24	24
D-44-27	24
D-44-28	24
D-44-29	24
D-44-30	24
D-44-31	24
D-44-32	24
D-44-33	24
D-44-34	24
D-44-35	24
D-44-FIS	24
D-44-FISUV	24

D-60	24
D-60C	24
D-60LP	24
D-60RBB	24
D-60RBS	24
DK64-087	20
DK64-097	20
DK64-102	20
DK64-107-12	20
DK64G-087	20
DK64G-097	20
DK64G-097-12	20
DK64G-102	20
DK64-097-12	20
DK64G-107-12	20
DKC64-087	20
DKC64-097	20
DKC64-097-12	20
DKC64-102	20
DKC64-107-12	20
DKC64G-087	20
DKC64G-097	20
DKC64G-097-12	20
DKC64G-102	20
DKC64G-107-12	20
DL15-12	9
DL15-12W	9
DL15-30W	12
DL15-30W-ARB	12
DL15-6	9
DL15-6GMB	9
DL15-6MMB	9
DL15-6W	9
DL15-6W-1K	9
DLHT-121	7
DLHT-121CAA	7
DLHT-124	7
DLHT-124CAA	7
DLHT-241	7
DLHT-241CAA	7
DLHT-244	7
DLHT-244CAA	7
DLHTHR-1	8
DLHTHR-4	8
DLHTHU-1	9
DLHTHU-4	9
DLITE	10
DLITS	10
DLNT-121	7

DLNT-121C	7
DLNT-121S	7
DLNT-121SC	7
DLNT-122S	7
DLNT-122SC	7
DLNTHR-1	8
DLNTHR-4	8
DLNTHR-5	8
DLNTHU-1	9
DLS306	9
DLS306C	9
DLTT-121-AA	7
DLTT-121C	7
DLTT-124	7
DLTT-124C-AA	7
DLTT-241	7
DLTT-241C-AA	7
DLTT-244	7
DLTT-244C-AA	7
DLX3	8
DLX3H-A	8
DLX4	8
DLX4C	8
DLX4-HK	8
DLX4-HK-1	8
DLX4-HK2	8
DLX4-HK2-1	8
DLX6	8
DLX6C	8
DLX6F	8
DLX6FC	8
DLX6-HK	8
DLX6-HK-1	8
DLX6-HK2	8
DLX6-HK2-1	8
DLXT-121	7
DLXT-121C	7
DLXT-124	7
DLXT-124C	7
DLXT-241	7
DLXT-241C	7
DLXT-244	7
DLXT-244C	7
DLXT-2CUST	7
DLXT-3CUST	7
DLXTHR-1	8
DLXTHR-2	8
DLXTHR-3	8
DLXTHR-3K	8

DLXTHR-4	8
DLXTHR-5	8
DLXTHR-7	8
DLXTHR-8	8
DLXTHU-1	9
DLXTHU-2	9
DLXTHU-4	9
DLXTHU-7	9
DLXTHU-8	9
DLXTHU-9	9
FLKULB9S-1	9
FM3662	21
FM3666	21
FM3667	21
FM3669C	21
FM6901	21
FM6902	21
FM6903	21
FM6904	21
FM6905	21
FM6906	21
FM6907	21
FM6908	21
FM6909	21
LBC-CAN	15
LCS600	23
LCS652-008	23
LCS653-013	23
LCS653-1-013	23
LCS770	23
LCS771	23
LCS771-LM	23
LCS771-28	23
LCS790	23
LCS800-008	23
LCS800-DM8	23
LCS800-F8	23
LCS850-8	23
LCS850-DM8	23
LCS850-F8	23
LCS850MG12	23
LCS850MG-F12	23
LCS869	23
LCS880-008	23
LCS881-008	23
LDH-361-S	9
LDH-361-T	9
LDH-362-E	9
LDH-362-S	9

LDH-362-T	9	SH3920	11	TCS-1	12
LDH-363-E	9	SH3922	11	TCS-1REF	12
LDH-363M-S	9	SH3930	11	TCS-2	12
LDH-363M-T	9	SH3930E	11	TCS-2REF	12
LDH-363-S	9	SH3940	11	TCS-6	12
LDH-363-T	9	SH3970	11	TD77-2	12
LDH-364-E	9	SH4500	11	TD93-36-15	11
LDH-364-S	9	SH4501	11	TD93-36-30	11
LDH-364-T	9	SH4601	11	TD93-47-15	11
LDHF301-*-10	10	SH4602	11	TD93-47-30	11
LDHF301-*-30	10	SP1515	20	TD93-47-45	11
LDHF311-*-10	10	SP3015	20	TD93-47-60	11
LDHF311-*-30	10	SP3860-1	20	TD93DLXT-47-15	11
LDHF362-E	9	SP3860-2	20	TD93DLXT-47-30	11
LDHF362-T	9	SP3860-2H	20	TD93DLXT-47-45	11
LDHF363-E	9	SP3860-2MH	20	TD93DLXT-47-60	11
LDHF363-T	9	SP3860-3	20	TD93DLXTARO2-48	11
LDHF364-E	9	SP3860-3H	20	TD93DLXTARO2-60	11
LDHF364-T	9	SP3860-4	20	TD93DLXTARO2-72	11
LDHT362-T	9	SP3860-4H	20	TD93DLXTARO2-84	11
LDHT363-T	9	SP3860-5	20	TD93DLXTARO2-96	11
LDHT364-T	9	SR10	21	TD93DLXTARO2-S	12
LDK302	10	SR12	21	TD93DLXTARO-48	12
LDK304	10	SR7	21	TD93DLXTARO-60	12
LDK312	10	SR9	21	TD93DLXTARO-72	12
LDK314	10	SS650-013	23	TD93DLXTARO-84	12
LST129-4	22	SS651-013	23	TD93DLXTARO-96	12
LST129-7	22	SS651MT-013	23	TD93DLXTARO-S	12
RLKULB9E-1	9	SS670-013	23	TDC-3	12
RLKULB9S-1	9	SS700-013	23	TDDL15-36	12
RP242	11	SS730	23	TDDL15-42	12
RP244	11	SS741MG-11	23	TDDL15-42TA	12
RP310	11	SS741MG-DM11	23	TDDL15-47	12
RP966	11	SS867	23	TDDL15-47CV	12
RP996	11	ST3901	22	TDLIN24-47-30	11
RSK242P	11	ST3901-12	22	TDLIN-36-15	11
RSK244P	11	ST3901-7	22	TDLIN-36-30	11
RSK310P	11	ST413P	11, 22	TDLIN-47-15	11
RSK966P	11	ST413P-W	22	TDLIN-47-30	11
RSK996P	11	ST415P	11, 22	TDLIN-47-45	11
SB1515	20	ST415P-W	22	TDLIN-47-60	11
SB3015	20	SW-11	20	ULB10	12
SB4020	20	SW-20	20	ULB14	13
SB4020-15	20	SW-40	20	ULB18	13
SB4020T	20	SWH-271-ARO-15	12	ULB21	12
SB4040	20	SWH-271-ARO-22	12	ULB24	13
SB4040-15	20	SWH-271-ARO-30	12	ULB24-CA	13
SB4425T	20	SWH-271-ARO-45	12	ULB24-DLP	13
SH3904	11	SWH-271-ARO-60	12	ULB28	13

Terms and Ordering Information

Sales Policy

All Star Headlight & Lantern Co., Inc. products are sold through distributors. Possession of our catalog and/or price list does not constitute our offer to sell to or the right to purchase directly from Star Headlight & Lantern Co., Inc.

Pricing

Prices are subject to increase, without prior notification, based on Star Headlight & Lantern Co., Inc.'s current price at the time of shipment. Taxes are not included in the price list. Star Headlight & Lantern Co., Inc. will add all applicable taxes to the invoice where required by law. Minimum purchase order - \$100. Minimum parts order - \$25.00. A service charge of \$10.00 will be added to all orders not meeting minimum requirements. A service charge of \$10.00 will be added to all air shipment orders. Prepaid freight on orders over \$1000.00 net invoice. This offer is limited to Star standard ground shipping to a single address within the U.S. An additional cost will be applied to expedited orders, shipments delivered by customer-specific carriers, and shipments to Alaska.

Payment

Payment terms, for distributors with open account status, are NET 30 from the date of invoice. Past due invoices will be subject to a later charge of 1 1/2% (18% annually).

Damage Claims

Claims for damage or loss in transit must be filed by the distributor against the carrier. Claims for shortages in shipment must be filed, in writing, with Star Headlight & Lantern Co., Inc. no more than 10 days for receipt of shipment.

Delivery

Star Headlight & Lantern Co., Inc. will make every effort to deliver ordered merchandise on the date requested by the distributor. Star Headlight & Lantern Co., Inc. shall not be liable for any damages to the distributor arising out of delayed shipments where the delivery circumstances are beyond the control of Star Headlight & Lantern Co., Inc.

Returns

You must contact Star Headlight & Lantern Co., Inc. prior to return any merchandise. All returns require a Return Material Authorization (RMA) number. The RMA# must be clearly marked on the package and associated paperwork. All returned merchandise is subject to inspection. Any items returned for repair that are deemed to be out of warranty are subject to parts replacement cost. If a returned item is out of warranty, the sender will be notified prior to any work being performed with an estimated cost of repair. No repairs will be done until proper authorization is obtained from the sender. Any merchandise returned for restock/credit that is not in new and saleable condition will be returned to the distributor issued and no credit will be issued. All items returned for restock are subject to a 15% restocking fee.

Installation

It is the sole responsibility of the owner to ensure their warning light is secure. Check the light every time you use the vehicle to ensure that it is mounted securely. Star Headlight & Lantern Co., Inc. assumes no responsibility for the secure mounting of this light on the roof of your vehicle with a magnet mount, take extreme care to ensure that the magnet is firmly seated on your roof, and that the pull of the magnet is sufficient to secure the light in place. As the composition of the metal in the roofs of different vehicles may vary, as well as the contour, texture and/or conditions, Star Headlight & Lantern Co., Inc. cannot guarantee the ability of any magnetically mounted light to remain in place upon a moving vehicle and it is done at the sole discretion of the owner.

Warranty

The manufacturer warrants each new product, under normal use, against factory defects in material and workmanship for one year and five years on LED components after the date purchase. The owner will be responsible for returning to the Service Center any defective item(s) with the transportation costs prepaid. The manufacturer will, without charge, repair or replace at its option, products, or part(s), which its inspection determines to be defective. Repaired or replacement item(s) will be returned to the purchaser with transportation costs prepaid from the service point. A copy of the purchaser's receipt must be returned with the defective item(s) in order to qualify for the warranty coverage. Exclusions from this warranty include, but are not limited to, bulbs, strobe tubes, domes, and/or the finish. This warranty shall not apply to any light, which has been altered, such that in the manufacturer's judgment, the performance or reliability has been affected, or in any damage has resulted from abnormal use or service. This warranty does not apply to defect or damage occurring as a result of disaster, accident, abuse, misuse, lightning, power surges, or failure to follow enclosed manuals.


Any damage or defects occurring as a result of any unauthorized service or repairs by unauthorized persons shall be excluded from this warranty. There are no warranties expressed or implied (including any warranty of merchantability or fitness), which extend this warranty period. The loss of use of the product, loss of time, inconvenience, commercial loss or consequential damages, including the cost of any labor, are not covered. The manufacturer reserves the right to change the design of the product without assuming any obligation to modify any product previously manufactured. This warranty gives you specific legal rights. You might also have additional rights which may vary from state to state. Some states do not allow limitations on how long and implied warranty lasts. Some states do not allow the exclusion or limitation of incidental damages. Therefore, the above limitation(s) or exclusion(s) may not apply to you.

Parts Pricing

All parts and parts pricing is available for download at our website www.starheadlight.com.

Note

Bulbs and flash tubes are not covered under warranty. Speakers are not covered against water damage.



**"Proudly Designed, Manufactured,
and Assembled in the U.S.A.!"**

SHIPPING
455 Rochester Street
Avon, NY 14414



MAILING
455 Rochester Street
Avon, NY 14414

PHONE
585-226-9787
585-226-9500

FAX
888-478-2797
585-226-2029

www.starheadlight.com
An ISO 9001-2008 Certified Company